

WORKSHOP FURNITURE



NÁBYTEK, CO MÁ STEEL





## ABOUT US

KOVOS cooperative Teplice belongs to the biggest and most well-known metal furniture manufacturers in the Czech Republic with a tradition since 1951.

The KOVOS furniture line is based on years of experience gained through development, production and distribution of metal furniture, while respecting the existing requirements, trends and modern design.

We design, develop and manufacture metal furniture, especially for dressing rooms, workshops, offices and operations. The main production program consists of wardrobes, cloakroom benches, workshop cabinets and desks, all-purpose cabinets, registration, file cabinets and drawers, waste bins and other special products.

Individual and helpful approach to customers and their needs lies at the core of our business strategy, we create good business conditions for our business partners and we constantly strive to respond to their demands. We listen to the customers and we use the feedback to further improve our products and services.

We supply the KOVOS products both to the domestic market and abroad. We regularly export to 12 countries in Europe, the strongest export destinations are Germany and the Benelux countries.

You can rely on the KOVOS brand. Our products are of high quality, manufactured within a certified system of quality control according to ISO 9001. In the course of production advanced technology for metal processing is used and we strive for high qualification of our employees who are motivated to constantly improve all the processes.

## WORKSHOP FURNITURE

The workshop furniture is designed mainly for production areas, workshops, testing rooms and laboratories, as well as for schools and training centres. The furniture is characterized by modern design and sturdy construction that ensures high strength, durability and capacity.

Thanks to the modular design of the particular series of workshop furniture the furniture is versatile and the customer may configure it to suit their individual needs. Usability can be easily increased for example by inner dividers, additional shelves, drawers and by perforated panels for tool holders.

The long lifespan of the workshop furniture is ensured by proper construction and durable powder colour coating that protects the product well and is easy to clean and maintain.





## OBSAH



**Colours**

6



**Professional  
Heavy-duty  
Workbenches  
Assembled**

55



**Workshop  
Tool  
Cabinets**

7



**Professional  
Workbenches  
Welded**

73



**Universal  
Workshop  
Cabinets**

13



**Assembly  
Workbenches**

83



**Cabinets  
with Plastic  
Containers**

27



**Worktops**

91



**NC Program**

37



**Electricity  
and Air  
Switchboards**

95



**Multi Drawer  
Workshop  
Cabinets**

41



**Antistatic  
Workbenches**

99



**Height-adjustable  
Assembly  
Workbenches**

103



**Tool Holders**

131



**Control  
Station**

107



**Computer  
Cupboards**

137



**Workshop  
Trolleys**

111



**Cupboards  
for the Storage  
of Chemicals**

141



**Workshop  
Series  
ECONOMY**

117



**Waste Bins**

145



**Workshop  
Series  
SILENT**

123



**Health  
and Safety**

149



**Perfopanel**

127



**Drawer  
Dimensions**

153




## COLOURS


The surface finish is achieved through electrostatic application of powder coating on the surface of the product. Before applying the coating the product is treated with Fe phosphate. The applied paint is then fired at 180 °C.

### Powder coating

#### category A




#### category B



#### category C

##### Premium shades



#### category D



#### category E





## WORKSHOP TOOL CABINETS



Workshop tool cabinets are suitable for storing tools, material and measuring instruments, thanks to integrated writing desk also as a habitat for the records in the workplace. They are characterized by smaller space requirements, welded design and high durability. Depending on the type, the cupboards are equipped with adjustable or fixed shelves, drawers, steel, glass or wire doors for tool holders, wheels, shelf, stacking frame with rubber or lockable writing desk.



# WORKSHOP TOOL CABINETS

## (scheme)

### The top shelf



Steel frame with rubber for storing objects, h. 30 mm.



Steel frame with bordered edges, 3 mm thick checkered black rubber embedded inside.



Beech board for storing objects, h. 25 mm.



The board is treated with a linseed oil solution with additives, bevelled upper edge.



Laminated board for storing objects, h. 18 mm, ABS edge.



Laminated LTD chipboard in colour RAL 7035 with 2 mm ABS edge.



Integrated writing desk.



Raised edge on the lid of the console prevents the paper and pens from sliding, there is a lockable space inside the counter.

### Door type, hanging



Steel door.



The door metal sheet is 1 mm thick. Perforated reinforcement brackets for fixing the QDN tools onto.



Glass door.



4 mm thick safety tempered glass embedded in a steel frame.



Wire door.



Door panel made of hammered metal of the same colour as the cabinet's body, loop size 22 x 12 mm, embedded in a steel frame.



Inside pins make it possible to open the door to 110°.



The doors are hung on the inside pins, except for the NAR\_04 line products where the doors are hung on outside pins.



### Locking



Cylinder lock, two keys, 2000 combinations, master key delivery possible.



Rotary bolt lock suitable for shackle diameter 6 mm.



The padlock is not included.



Single-point door locking, in the middle.




Double-point door locking, top and bottom.



### Equipment



A perforated panel for tool holders is part of the product.



The 10 x 10 mm perforation in a 38 mm grid is designed to hang the QDN tool holders on.



Workshop cabinet shelves.



The shelves are height-adjustable 25 mm at a time, except for the NAR\_04 line cabinets where the shelves are fixed, max. surface load is 20 kg.



Workshop cabinet drawer.



The drawers are height-adjustable 25 mm at a time, drawers placed on roller slides, except for the NAR\_04 line cabinets where the drawer rests freely on the shelf, max. surface load is 20 kg.



Mobile castors.



2x fixed, 2x turning with brakes, diameter 80 mm.



# WORKSHOP TOOL CABINETS

door type	product option
steel door	NAR_01_A
glass door	NAR_S1_A
wire door	NAR_T1_A

optional accessory	code
shelf	NAR_01_P
drawer	NAR_01_Z

**NAR\_01\_A**

1030 x 500 x 500

200 20

door type	product option
steel door	NAR_01_B
glass door	NAR_S1_B
wire door	NAR_T1_B

optional accessory	code
shelf	NAR_01_P
drawer	NAR_01_Z

**NAR\_01\_B**

1030 x 500 x 500

90 200 20 20

door type	product option
steel door	NAR_01_AS
glass door	NAR_S1_AS
wire door	NAR_T1_AS

optional accessory	code
shelf	NAR_01_P
drawer	NAR_01_Z

**NAR\_01\_AS**

1025 x 500 x 500

200 20

door type	product option
steel door	NAR_01_BS
glass door	NAR_S1_BS
wire door	NAR_T1_BS

optional accessory	code
shelf	NAR_01_P
drawer	NAR_01_Z

**NAR\_01\_BS**

1025 x 500 x 500

90 200 20 20

door type	product option
steel door	NAR_01_AL
glass door	NAR_S1_AL
wire door	NAR_T1_AL

optional accessory	code
shelf	NAR_01_P
drawer	NAR_01_Z

**NAR\_01\_AL**

1018 x 500 x 500

200 20

door type	product option
steel door	NAR_01_BL
glass door	NAR_S1_BL
wire door	NAR_T1_BL

optional accessory	code
shelf	NAR_01_P
drawer	NAR_01_Z

**NAR\_01\_BL**

1018 x 500 x 500

90 200 20 20

Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.

Workshop cabinet shelves.	Workshop cabinet drawer.	A perforated panel for tool holders is part of the product.	Mobile castors.	Steel frame with rubber for storing objects, h. 30 mm.	Laminated board for storing objects, h. 18 mm, ABS edge.	Beech board for storing objects, h. 25 mm.	Cylinder lock, two keys, 2000 combinations, master key delivery possible.
Rotary bolt lock suitable for shackle diameter 6 mm.	Steel door.	Single-point door locking, in the middle.	Double-point door locking, top and bottom.	Three-point door locking, top, bottom and middle.	Total base load.	Shelf maximum surface load.	Drawer maximum surface load.

# WORKSHOP TOOL CABINETS



door type	product option
steel door	NAR_02_A
glass door	NAR_S2_A
wire door	NAR_T2_A

optional accessory	code
shelf	NAR_01_P
drawer	NAR_01_Z

**NAR\_02\_A**

1300 x 500 x 500

door type	product option
steel door	NAR_01K_B
glass door	NAR_S1K_B
wire door	NAR_T1K_B

optional accessory	code
shelf	NAR_01_Z
drawer	NAR_01_P

**NAR\_01K\_B**

1140 x 500 x 500

door type	product option
steel door	NAR_02_B
glass door	NAR_S2_B
wire door	NAR_T2_B

optional accessory	code
shelf	NAR_01_P
drawer	NAR_01_Z

**NAR\_02\_B**

1300 x 500 x 500

90

door type	product option
steel door	NAR_01K_BS
glass door	NAR_S1K_BS
wire door	NAR_T1K_BS

optional accessory	code
shelf	NAR_01_P
drawer	NAR_01_Z

**NAR\_01K\_BS**

1135 x 500 x 500

90

door type	product option
steel door	NAR_02K_B
glass door	NAR_S2K_B
wire door	NAR_T2K_B

optional accessory	code
shelf	NAR_01_P
drawer	NAR_01_Z

**NAR\_02K\_B**

1410 x 500 x 500

90

door type	product option
steel door	NAR_01K_BL
glass door	NAR_S1K_BL
wire door	NAR_T1K_BL

optional accessory	code
shelf	NAR_01_Z
drawer	NAR_01_P

**NAR\_01K\_BL**

1128 x 500 x 500

Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.

Workshop cabinet shelves.	Workshop cabinet drawer.	A perforated panel for tool holders is part of the product.	Mobile castors.	Steel frame with rubber for storing objects, h. 30 mm.	Laminated board for storing objects, h. 18 mm, ABS edge.	Beech board for storing objects, h. 25 mm.	Cylinder lock, two keys, 2000 combinations, master key delivery possible.
Rotary bolt lock suitable for shackle diameter 6 mm.	Steel door.	Single-point door locking, in the middle.	Double-point door locking, top and bottom.	Three-point door locking, top, bottom and middle.	Total base load.	Shelf maximum surface load.	Drawer maximum surface load.



# WORKSHOP TOOL CABINETS

ST

NAR\_04\_A

1000 x 450 x 400

90

200

20

20

ST

NAR\_04\_AR

1030 x 450 x 400

90

200

20

20

ST

NAR\_01\_P

20 x 493 x 462

20

ST

NAR\_01\_Z

90 x 463 x 373

20

Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.




# UNIVERSAL WORKSHOP CABINETS



The large workshop cabinets designed for storing tools, instruments, material, as well as both large and small components, are massive constructions made of high-quality 1 mm thick metal sheet. Their spacious drawers and large shelves are a guarantee of clear and organized space.

Universal workshop cabinets, depending on type, are equipped with position-adjustable shelves or drawers, metal, glazed or wired doors, perforated panels for tool holders, shelf or stacking frames with embedded rubber.



# UNIVERSAL WORKSHOP CABINETS

## (scheme)

### The top shelf

The worktop can be placed on any of the SPD cabinets with height of 1150 mm



Steel frame with rubber for storing objects, h. 30 mm.



Steel frame with bordered edges, 3 mm thick checkered black rubber embedded inside.



Beech board for storing objects, h. 25 mm.



The board is treated with a linseed oil solution with additives, bevelled upper edge.



Laminated board for storing objects, h. 18 mm, ABS edge.



Laminated LTD chipboard in colour RAL 7035 with 2 mm ABS edge.

### Door type, hanging



Steel door.



The door metal sheet is 1 mm thick. Perforated reinforcement brackets for fixing the QDN tools onto.



Glass door.



4 mm thick safety tempered glass embedded in a steel frame.



Wire door.



Door panel made of hammered metal of the same colour as the cabinet's body, loop size 22 x 12 mm, embedded in a steel frame.



Inside pins make it possible to open the door to 110°.



The doors are hung on the inside pins.

### Locking



GSB lock, two keys, 2000 combinations, master key delivery possible.



For steel doors only.



Cylinder lock, two keys, 2000 combinations, master key delivery possible.



For glass and wire doors only.



Rotary bolt lock suitable for shackle diameter 6 mm.



For glass doors and wire doors only. The padlock is not included.



Double-point door locking, top and bottom.



### Equipment



A perforated panel for tool holders is part of the product.



The 10 x 10 mm perforation in a 38 mm grid is designed to hang the QDN tool holders on.



The drawer allows for the installation of sheet metal or plastic dividers.



The dividers for this category can be found on pages 25 and 26.



Workshop cabinet shelves.



The shelves are height-adjustable 25 mm at a time, max. surface load is 100 kg.



Workshop cabinet drawer.



The drawers are height-adjustable 25 mm at a time, drawers cannot be installed into SPD\_xx\_A series cabinets. Max. surface load is 50 kg.



# UNIVERSAL WORKSHOP CABINETS

**SPD\_11\_A** ST

optional accessory | code  
shelf | SPD\_11\_P1

1950 x 950 x 600

800 100

**SPD\_11\_B** ST

optional accessory | code  
shelf | SPD\_11\_P2  
drawer | SPD\_11\_Z

1950 x 950 x 600

800 100

**SPD\_T1\_A** ST

optional accessory | code  
shelf | SPD\_11\_P1

1950 x 950 x 600

800 100

**SPD\_T1\_B** ST

optional accessory | code  
shelf | SPD\_11\_P2  
drawer | SPD\_11\_Z

1950 x 950 x 600

800 100

**SPD\_S1\_A** ST

optional accessory | code  
shelf | SPD\_11\_P1

1950 x 950 x 600

800 100

**SPD\_S1\_B** ST

optional accessory | code  
shelf | SPD\_11\_P2  
drawer | SPD\_11\_Z

1950 x 950 x 600

800 100

Dimensions: **h x w x d** ST Standard – equipment part of the product. Extra cost – equipment available for an extra charge.

Workshop cabinet shelves.		Workshop cabinet drawer.		A perforated panel for tool holders is part of the product.		GSB lock, two keys, 2000 combinations, master key delivery possible.		Cylinder lock, two keys, 2000 combinations, master key delivery possible.		Rotary bolt lock suitable for shackle diameter 6 mm.		Steel door.		Glass door.	
Wire door.		Double-point door locking, top and bottom.		Total base load.		Shelf maximum surface load.									

# UNIVERSAL WORKSHOP CABINETS



**SPD\_11\_C**

1950 x 950 x 600

optional accessory

code
SPD_11_P2
SPD_11_Z

inner drawer dividers

code
VND_SPD_11
VND_SPD_12
VND_SPD_13
7000171

100 100

800 100 50

**SPD\_11\_D**

1950 x 950 x 600

optional accessory

code
SPD_11_P2
SPD_11_Z

inner drawer dividers

code
VND_SPD_11
VND_SPD_12
VND_SPD_13
7000171

100 100 100 100

800 100 50

**SPD\_T1\_C**

1950 x 950 x 600

optional accessory

code
SPD_11_P2
SPD_11_Z

inner drawer dividers

code
VND_SPD_11
VND_SPD_12
VND_SPD_13
7000171

100 100

800 100 50

**SPD\_T1\_D**

1950 x 950 x 600

optional accessory

code
SPD_11_P2
SPD_11_Z

inner drawer dividers

code
VND_SPD_11
VND_SPD_12
VND_SPD_13
7000171

100 100 100 100

800 100 50

**SPD\_S1\_C**

1950 x 950 x 600

optional accessory

code
SPD_11_P2
SPD_11_Z

inner drawer dividers

code
VND_SPD_11
VND_SPD_12
VND_SPD_13
7000171

100 100

800 100 50

**SPD\_S1\_D**

1950 x 950 x 600

optional accessory

code
SPD_11_P2
SPD_11_Z

inner drawer dividers

code
VND_SPD_11
VND_SPD_12
VND_SPD_13
7000171

100 100 100 100

800 100 50

Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.

Workshop cabinet shelves.	Workshop cabinet drawer.	A perforated panel for tool holders is part of the product.	The drawer allows for the installation of sheet metal or plastic dividers.	GSB lock, two keys, 2000 combinations, master key delivery possible.	Cylinder lock, two keys, 2000 combinations, master key delivery possible.	Rotary bolt lock suitable for shackle diameter 6 mm.	Steel door.
Glass door.	Wire door.	Double-point door locking, top and bottom.	Total base load.	Shelf maximum surface load.	Drawer maximum surface load.		



# UNIVERSAL WORKSHOP CABINETS

**SPD\_11\_E** ST

1950 x 950 x 600

optional accessory | code  
shelf | SPD\_11\_P2  
drawer | SPD\_11\_Z

inner drawer dividers | code  
division into 4 parts | VND\_SPD\_11  
division into 9 parts | VND\_SPD\_12  
division into 12 parts | VND\_SPD\_13  
plastic divider | 7000171

100 100 100 100 100 100 100 100 100 100

800 100 50

**SPD\_13\_A** ST

1950 x 505 x 600

optional accessory | code  
shelf | SPD\_13\_P1

800 100

**SPD\_T1\_E** ST

1950 x 950 x 600

optional accessory | code  
shelf | SPD\_11\_P2  
drawer | SPD\_11\_Z

inner drawer dividers | code  
division into 4 parts | VND\_SPD\_11  
division into 9 parts | VND\_SPD\_12  
division into 12 parts | VND\_SPD\_13  
plastic divider | 7000171

100 100 100 100 100 100 100 100 100 100

800 100 50

**SPD\_T3\_A** ST

1950 x 505 x 600

optional accessory | code  
shelf | SPD\_13\_P1

800 100

**SPD\_S1\_E** ST

1950 x 950 x 600

optional accessory | code  
shelf | SPD\_11\_P2  
drawer | SPD\_11\_Z

inner drawer dividers | code  
division into 4 parts | VND\_SPD\_11  
division into 9 parts | VND\_SPD\_12  
division into 12 parts | VND\_SPD\_13  
plastic divider | 7000171

100 100 100 100 100 100 100 100 100 100

800 100 50

**SPD\_S3\_A** ST

1950 x 505 x 600

optional accessory | code  
shelf | SPD\_13\_P1

800 100

Dimensions: **h x w x d** ST Standard – equipment part of the product. Extra cost – equipment available for an extra charge.

Workshop cabinet shelves.	Workshop cabinet drawer.	A perforated panel for tool holders is part of the product.	The drawer allows for the installation of sheet metal or plastic dividers.	GSB lock, two keys, 2000 combinations, master key delivery possible.	Cylinder lock, two keys, 2000 combinations, master key delivery possible.	Rotary bolt lock suitable for shackle diameter 6 mm.	Steel door.
Glass door.	Wire door.	Double-point door locking, top and bottom.	Total base load.	Shelf maximum surface load.	Drawer maximum surface load.		

# UNIVERSAL WORKSHOP CABINETS



**SPD\_13\_B**

1950 x 505 x 600

optional accessory | code  
shelf | SPD\_13\_P2  
drawer | SPD\_13\_Z

ST

Icons: [Shelf], [Drawer], [Perforated panel], [Lock], [Double-point door], [Total base load]

**SPD\_13\_C**

1950 x 505 x 600

optional accessory | code  
shelf | SPD\_13\_P2  
drawer | SPD\_13\_Z

inner drawer dividers | code  
division into 4 parts | VND\_SPD\_14  
division into 9 parts | VND\_SPD\_15  
division into 12 parts | VND\_SPD\_16  
plastic divider | 7000712

ST

Icons: [Shelf], [Drawer], [Perforated panel], [Lock], [Double-point door], [Total base load], [Inner drawer dividers]

**SPD\_T3\_B**

1950 x 505 x 600

optional accessory | code  
shelf | SPD\_13\_P2  
drawer | SPD\_13\_Z

ST

Icons: [Shelf], [Drawer], [Perforated panel], [Lock], [Double-point door], [Total base load]

**SPD\_T3\_C**

1950 x 505 x 600

optional accessory | code  
shelf | SPD\_13\_P2  
drawer | SPD\_13\_Z

inner drawer dividers | code  
division into 4 parts | VND\_SPD\_14  
division into 9 parts | VND\_SPD\_15  
division into 12 parts | VND\_SPD\_16  
plastic divider | 7000712

ST

Icons: [Shelf], [Drawer], [Perforated panel], [Lock], [Double-point door], [Total base load], [Inner drawer dividers]

**SPD\_S3\_B**

1950 x 505 x 600

optional accessory | code  
shelf | SPD\_13\_P2  
drawer | SPD\_13\_Z

ST

Icons: [Shelf], [Drawer], [Perforated panel], [Lock], [Double-point door], [Total base load]

**SPD\_S3\_C**

1950 x 505 x 600

optional accessory | code  
shelf | SPD\_13\_P2  
drawer | SPD\_13\_Z

inner drawer dividers | code  
division into 4 parts | VND\_SPD\_14  
division into 9 parts | VND\_SPD\_15  
division into 12 parts | VND\_SPD\_16  
plastic divider | 7000712

ST

Icons: [Shelf], [Drawer], [Perforated panel], [Lock], [Double-point door], [Total base load], [Inner drawer dividers]

Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.




# UNIVERSAL WORKSHOP CABINETS

**SPD\_13\_D**

1950 x 505 x 600

optional accessory

code
SPD_13_P2
SPD_13_Z

inner drawer dividers

code
VND_SPD_14
VND_SPD_15
VND_SPD_16
7000712

100  
100  
100  
100

800 100 50

**SPD\_13\_E**

1950 x 505 x 600

optional accessory

code
SPD_13_P2
SPD_13_Z

inner drawer dividers

code
VND_SPD_14
VND_SPD_15
VND_SPD_16
7000712

100  
100  
100  
100  
100  
100  
100  
100

800 100 50

**SPD\_T3\_D**

1950 x 505 x 600

optional accessory

code
SPD_13_P2
SPD_13_Z

inner drawer dividers

code
VND_SPD_14
VND_SPD_15
VND_SPD_16
7000712

100  
100  
100  
100

800 100 50

**SPD\_T3\_E**

1950 x 505 x 600

optional accessory

code
SPD_13_P2
SPD_13_Z

inner drawer dividers

code
VND_SPD_14
VND_SPD_15
VND_SPD_16
7000712

100  
100  
100  
100  
100  
100  
100  
100

800 100 50

**SPD\_S3\_D**

1950 x 505 x 600

optional accessory

code
SPD_13_P2
SPD_13_Z

inner drawer dividers

code
VND_SPD_14
VND_SPD_15
VND_SPD_16
7000712

100  
100  
100  
100

800 100 50

**SPD\_S3\_E**

1950 x 505 x 600

optional accessory

code
SPD_13_P2
SPD_13_Z

inner drawer dividers

code
VND_SPD_14
VND_SPD_15
VND_SPD_16
7000712

100  
100  
100  
100  
100  
100  
100  
100

800 100 50

Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.

Workshop cabinet shelves.	Workshop cabinet drawer.	A perforated panel for tool holders is part of the product.	The drawer allows for the installation of sheet metal or plastic dividers.	GSB lock, two keys, 2000 combinations, master key delivery possible.	Cylinder lock, two keys, 2000 combinations, master key delivery possible.	Rotary bolt lock suitable for shackle diameter 6 mm.	Steel door.
Glass door.	Wire door.	Double-point door locking, top and bottom.	Total base load.	Shelf maximum surface load.	Drawer maximum surface load.		

# UNIVERSAL WORKSHOP CABINETS



**SPD\_12\_A**

1180 x 950 x 600

desktop type	product option
checkered rubber	SPD_12_A
beech board	SPD_12_AS
laminated board	SPD_12_AL

optional accessory	code
shelf	SPD_11_P1

800 100

**SPD\_12\_B**

1180 x 950 x 600

desktop type	product option
checkered rubber	SPD_12_B
beech board	SPD_12_BS
laminated board	SPD_12_BL

optional accessory	code
shelf	SPD_11_P2
drawer	SPD_11_Z

inner drawer dividers	code
division into 4 parts	VND_SPD_11
division into 9 parts	VND_SPD_12
division into 12 parts	VND_SPD_13
plastic divider	7000171

100 800 100 50

**SPD\_T2\_A**

1180 x 950 x 600

desktop type	product option
checkered rubber	SPD_T2_A
beech board	SPD_T2_AS
laminated board	SPD_T2_AL

optional accessory	code
shelf	SPD_11_P1

800 100

**SPD\_T2\_B**

1180 x 950 x 600

desktop type	product option
checkered rubber	SPD_T2_B
beech board	SPD_T2_BS
laminated board	SPD_T2_BL

optional accessory	code
shelf	SPD_11_P2
drawer	SPD_11_Z

inner drawer dividers	code
division into 4 parts	VND_SPD_11
division into 9 parts	VND_SPD_12
division into 12 parts	VND_SPD_13
plastic divider	7000171

100 800 100 50

**SPD\_S2\_A**

1180 x 950 x 600

desktop type	product option
checkered rubber	SPD_S2_A
beech board	SPD_S2_AS
laminated board	SPD_S2_AL

optional accessory	code
shelf	SPD_11_P1

800 100

**SPD\_S2\_B**

1180 x 950 x 600

desktop type	product option
checkered rubber	SPD_S2_B
beech board	SPD_S2_BS
laminated board	SPD_S2_BL

optional accessory	code
shelf	SPD_11_P2
drawer	SPD_11_Z

inner drawer dividers	code
division into 4 parts	VND_SPD_11
division into 9 parts	VND_SPD_12
division into 12 parts	VND_SPD_13
plastic divider	7000171

100 800 100 50

Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.

Workshop cabinet shelves.	Workshop cabinet drawer.	A perforated panel for tool holders is part of the product.	The drawer allows for the installation of sheet metal or plastic dividers.	Steel frame with rubber for storing objects, h. 30 mm.	GSB lock, two keys, 2000 combinations, master key delivery possible.	Cylinder lock, two keys, 2000 combinations, master key delivery possible.	Rotary bolt lock suitable for shackle diameter 6 mm.
Steel door.	Glass door.	Wire door.	Double-point door locking, top and bottom.	Total base load.	Shelf maximum surface load.	Drawer maximum surface load.	



# UNIVERSAL WORKSHOP CABINETS

**SPD\_12\_C** ST

1180 x 950 x 600

desktop type	product option
checkered rubber	SPD_12_C
beech board	SPD_12_CS
laminated board	SPD_12_CL

optional accessory	code
shelf	SPD_11_P2
drawer	SPD_11_Z

inner drawer dividers	code
division into 4 parts	VND_SPD_11
division into 9 parts	VND_SPD_12
division into 12 parts	VND_SPD_13
plastic divider	7000171

**SPD\_14\_A** ST

1180 x 505 x 600

desktop type	product option
checkered rubber	SPD_14_A
beech board	SPD_14_AS
laminated board	SPD_14_AL

optional accessory	code
shelf	SPD_13_P1

**SPD\_T2\_C** ST

1180 x 950 x 600

desktop type	product option
checkered rubber	SPD_T2_C
beech board	SPD_T2_CS
laminated board	SPD_T2_CL

optional accessory	code
shelf	SPD_11_P2
drawer	SPD_11_Z

inner drawer dividers	code
division into 4 parts	VND_SPD_11
division into 9 parts	VND_SPD_12
division into 12 parts	VND_SPD_13
plastic divider	7000171

**SPD\_T4\_A** ST

1180 x 505 x 600

desktop type	product option
checkered rubber	SPD_T4_A
beech board	SPD_T4_AS
laminated board	SPD_T4_AL

optional accessory	code
shelf	SPD_13_P1

**SPD\_S2\_C** ST

1180 x 950 x 600

desktop type	product option
checkered rubber	SPD_S2_C
beech board	SPD_S2_CS
laminated board	SPD_S2_CL

optional accessory	code
shelf	SPD_11_P2
drawer	SPD_11_Z

inner drawer dividers	code
division into 4 parts	VND_SPD_11
division into 9 parts	VND_SPD_12
division into 12 parts	VND_SPD_13
plastic divider	7000171

**SPD\_S4\_A** ST

1180 x 505 x 600

desktop type	product option
checkered rubber	SPD_S4_A
beech board	SPD_S4_AS
laminated board	SPD_S4_AL

optional accessory	code
shelf	SPD_13_P1

Dimensions: **h x w x d** ST Standard – equipment part of the product. Extra cost – equipment available for an extra charge.

Workshop cabinet shelves.	Workshop cabinet drawer.	A perforated panel for tool holders is part of the product.	The drawer allows for the installation of sheet metal or plastic dividers.	Steel frame with rubber for storing objects, h. 30 mm.	GSB lock, two keys, 2000 combinations, master key delivery possible.	Cylinder lock, two keys, 2000 combinations, master key delivery possible.	Rotary bolt lock suitable for shackle diameter 6 mm.	
Steel door.	Glass door.	Wire door.	Double-point door locking, top and bottom.	Total base load.	Shelf maximum surface load.	Drawer maximum surface load.		

# UNIVERSAL WORKSHOP CABINETS



desktop type		product option
checkered rubber	SPD_14_B	
beech board	SPD_14_BS	
laminated board	SPD_14_BL	

optional accessory		code
shelf	SPD_13_P2	
drawer	SPD_13_Z	

inner drawer dividers		code
division into 4 parts	VND_SPD_14	
division into 9 parts	VND_SPD_15	
division into 12 parts	VND_SPD_16	
plastic divider	7000712	

desktop type		product option
checkered rubber	SPD_14_C	
beech board	SPD_14_CS	
laminated board	SPD_14_CL	

optional accessory		code
shelf	SPD_13_P2	
drawer	SPD_13_Z	

inner drawer dividers		code
division into 4 parts	VND_SPD_14	
division into 9 parts	VND_SPD_15	
division into 12 parts	VND_SPD_16	
plastic divider	7000712	

desktop type		product option
checkered rubber	SPD_T4_B	
beech board	SPD_T4_BS	
laminated board	SPD_T4_BL	

optional accessory		code
shelf	SPD_13_P2	
drawer	SPD_13_Z	

inner drawer dividers		code
division into 4 parts	VND_SPD_14	
division into 9 parts	VND_SPD_15	
division into 12 parts	VND_SPD_16	
plastic divider	7000712	

desktop type		product option
checkered rubber	SPD_T4_C	
beech board	SPD_T4_CS	
laminated board	SPD_T4_CL	

optional accessory		code
shelf	SPD_13_P2	
drawer	SPD_13_Z	

inner drawer dividers		code
division into 4 parts	VND_SPD_14	
division into 9 parts	VND_SPD_15	
division into 12 parts	VND_SPD_16	
plastic divider	7000712	

desktop type		product option
checkered rubber	SPD_S4_B	
beech board	SPD_S4_BS	
laminated board	SPD_S4_BL	

optional accessory		code
shelf	SPD_13_P2	
drawer	SPD_13_Z	

inner drawer dividers		code
division into 4 parts	VND_SPD_14	
division into 9 parts	VND_SPD_15	
division into 12 parts	VND_SPD_16	
plastic divider	7000712	

desktop type		product option
checkered rubber	SPD_S4_C	
beech board	SPD_S4_CS	
laminated board	SPD_S4_CL	

optional accessory		code
shelf	SPD_13_P2	
drawer	SPD_13_Z	

inner drawer dividers		code
division into 4 parts	VND_SPD_14	
division into 9 parts	VND_SPD_15	
division into 12 parts	VND_SPD_16	
plastic divider	7000712	

Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.

Workshop cabinet shelves.	Workshop cabinet drawer.	A perforated panel for tool holders is part of the product.	The drawer allows for the installation of sheet metal or plastic dividers.	Steel frame with rubber for storing objects, h. 30 mm.	GSB lock, two keys, 2000 combinations, master key delivery possible.	Cylinder lock, two keys, 2000 combinations, master key delivery possible.	Rotary bolt lock suitable for shackle diameter 6 mm.
Steel door.	Glass door.	Wire door.	Double-point door locking, top and bottom.	Total base load.	Shelf maximum surface load.	Drawer maximum surface load.	



# UNIVERSAL WORKSHOP CABINETS

<b>SPD_11_P1</b>	ST	
20 x 943 x 562		

<b>SPD_11_P2</b>	ST	
20 x 885 x 562		

<b>SPD_13_P1</b>	ST	
20 x 498 x 562		

<b>SPD_13_P2</b>	ST	
20 x 440 x 562		

<b>SPD_11_Z</b>	ST	
95 x 824 x 432		

<b>SPD_13_Z</b>	ST	
95 x 379 x 432		

Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.

 Shelf maximum surface load.	 Drawer maximum surface load.						



# UNIVERSAL WORKSHOP CABINETS

(inner dividers)

For cabinets with 950 x 600 mm base

**VND\_SPD\_11** 47 x 777 x 428

ST

For cabinets with 505 x 600 mm base

**VND\_SPD\_14** 47 x 332 x 428

ST

For cabinets with 950 x 600 mm base

**VND\_SPD\_12** 47 x 777 x 428

ST

For cabinets with 505 x 600 mm base

**VND\_SPD\_15** 47 x 332 x 428

ST

For cabinets with 950 x 600 mm base

**VND\_SPD\_13** 47 x 777 x 428

ST

For cabinets with 505 x 600 mm base

**VND\_SPD\_16** 47 x 332 x 428


ST

Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.





7000171



35 x 700 x 400



7000712

35 x 300 x 400



Dimensions: **h x w x d**  **ST** Standard – equipment part of the product.  Extra cost – equipment available for an extra charge.

26



## CABINETS WITH PLASTIC CONTAINERS



Cabinets with plastic containers are suitable for uncluttered storing of wide assortment of small components. We offer two versions, with door or as doorless racks.

The plastic containers are offered in four basic sizes and their number in the cabinets can be changed. For smaller plastic containers, the cabinet shelves are equipped with metal stops to ensure the container's position in the front. Both the shelves and the holders are zinc coated.



# CABINETS WITH PLASTIC CONTAINERS

(scheme)

## Type of door, hanging



Steel door.



Thickness of the door's sheet metal 0,8 mm.



Glass door.



Safety tempered glass of the thickness of 4 mm embedded in a metal frame.



Wire door.



Door panels made of hammered metal in the same colour as the body, size of the loop 22 x 12 mm, embedded in a steel frame.



Inside pins allow you to open the door to 110°.



The doors are hung on the inner pins.

## Locking



GSB lock, two keys, 2000 combinations, master key delivery possible.



Usage for steel doors only.



Cylinder lock, two keys, 2000 combinations, master key delivery possible.



Usage for glass and wire doors only.



Rotary bolt lock suitable for shackle diameter 6 mm.



For glass and wire doors only. The padlock is not included.



Double-point locking of doors, top and bottom.



## Equipment



Workshop cabinet shelves.



The shelves are zinc coated, height-adjustable 25 mm at a time, max. surface loading 60 kg.



Plastic containers.



Made of shock resistant plastic, stackable, the bottom is adapted to movement on cylinder tracks.



Plastic container stops.



For smaller plastic containers, the cabinet shelves are equipped with removable stops to keep the containers in the front position.



# CABINETS WITH PLASTIC CONTAINERS

**SPP\_01\_A**

1950 x 950 x 400

plastic container type	quantity [pcs]
PB4_7000176	20
PB4_7000177	20

ST

Icons: [Blue arrow], [Green circle with 'E'], [Purple box], [Red box]

**SPP\_S1\_A**

1950 x 950 x 400

plastic container type	quantity [pcs]
PB4_7000176	20
PB4_7000177	20

ST

Icons: [Blue arrow], [Green circle with 'E'], [Purple box], [Red box], [Green padlock], [Purple box], [Red box]

**SPP\_02\_A**

1950 x 800 x 400

plastic container type	quantity [pcs]
PB4_7000176	15
PB4_7000177	15

ST

Icons: [Blue arrow], [Green circle with 'E'], [Purple box], [Red box]

**SPP\_S2\_A**

1950 x 800 x 400

plastic container type	quantity [pcs]
PB4_7000176	15
PB4_7000177	15

ST

Icons: [Blue arrow], [Green circle with 'E'], [Purple box], [Red box], [Green padlock], [Purple box], [Red box]

**SPP\_03\_A**

1650 x 750 x 300

plastic container type	quantity [pcs]
PB2L_7000172	36
PB3_7000173	24

ST

Icons: [Blue arrow], [Green circle with 'E'], [Purple box], [Red box]

**SPP\_S3\_A**

1650 x 750 x 300

plastic container type	quantity [pcs]
PB2L_7000172	36
PB3_7000173	24

ST


Icons: [Blue arrow], [Green circle with 'E'], [Purple box], [Red box], [Green padlock], [Purple box], [Red box]




Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.










Workshop cabinet shelves.		GSL lock, two keys, 2000 combinations, master key delivery possible.		Cylinder lock, two keys, 2000 combinations, master key delivery possible.		Rotary bolt lock suitable for shackle diameter 6 mm.		Steel door.		Glass door.		Wire door.		Double-point door locking, top and bottom.	
Total base load.		Shelf maximum surface load.													



		ST	
		SPP_01_R	
plastic container type	quantity [pcs]	1950 x 950 x 400	
PB4_7000176	20		
PB4_7000177	20		
		300	60

		ST							
<table><tr><th>plastic container type</th><th>quantity [pcs]</th></tr><tr><td>PB4_7000176</td><td>15</td></tr><tr><td>PB4_7000177</td><td>15</td></tr></table>		plastic container type	quantity [pcs]	PB4_7000176	15	PB4_7000177	15	<h2>SPP_02_R</h2> <p>1950 x 800 x 400</p>  <div style="display: flex; justify-content: center; align-items: center;"><div style="border: 1px solid black; padding: 2px; margin: 0 5px;">300</div><div style="border: 1px solid black; padding: 2px; margin: 0 5px;">60</div></div>	
plastic container type	quantity [pcs]								
PB4_7000176	15								
PB4_7000177	15								

		ST	
		<b>SPP_03_R</b>	
plastic container type	quantity [pcs]	1650 x 750 x 300	
PB2L_7000172	36		
PB3_7000173	24		





















 <p>Workshop cabinet shelves.</p>	 <p>Cylinder lock, two keys, 2000 combinations, master key delivery possible.</p>	 <p>Rotary bolt lock suitable for shackle diameter 6 mm.</p>	 <p>Steel door.</p>	 <p>Glass door.</p>	 <p>Wire door.</p>	 <p>Double-point door locking, top and bottom.</p>	 <p>Total base load.</p>
 <p>Shelf maximum surface load.</p>							



		ST			
		SPP_S11_A			
plastic container type	quantity [pcs]	1950 x 950 x 400		    	
PB3_7000175	25			 	
PB4_7000176	20			 	

		ST			
		SPP_S12_A			
plastic container type	quantity [pcs]	1950 x 800 x 400			
PB3_7000175	20				
PB4_7000176	15				

		ST	
		SPP_S13_A	
plastic container type	quantity [pcs]	1650 x 750 x 300	    
PB2_7000180	36		 
PB2B_7000352	24		

  <p>Workshop cabinet shelves.</p>	  <p>GSB lock, two keys, 2000 combinations, master key delivery possible.</p>	  <p>Cylinder lock, two keys, 2000 combinations, master key delivery possible.</p>	  <p>Rotary bolt lock suitable for shackle diameter 6 mm.</p>	  <p>Steel door.</p>	  <p>Glass door.</p>	  <p>Wire door.</p>	  <p>Double-point door locking, top and bottom.</p>
  <p>Total base load.</p>	  <p>Shelf maximum surface load.</p>						



# CABINETS WITH PLASTIC CONTAINERS

**SPP\_T11\_A**

1950 x 950 x 400

plastic container type	quantity [pcs]
PB3_7000175	25
PB4_7000176	20

300 60

ST

Icons: [Blue arrow], [Green key], [Green padlock], [Purple keypad], [Red up/down arrows]

**SPP\_01\_C**

800 x 950 x 400

plastic container type	quantity [pcs]
PB2L_7000172	24
PB3_7000173	10

300 60

ST

Icons: [Blue arrow], [Green key], [Green padlock], [Purple keypad], [Red up/down arrows]

**SPP\_T12\_A**

1950 x 800 x 400

plastic container type	quantity [pcs]
PB3_7000175	20
PB4_7000176	15

300 60

ST

Icons: [Blue arrow], [Green key], [Green padlock], [Purple keypad], [Red up/down arrows]

**SPP\_02\_C**

800 x 800 x 400

plastic container type	quantity [pcs]
PB2L_7000172	18
PB3_7000173	8

300 60

ST

Icons: [Blue arrow], [Green key], [Green padlock], [Purple keypad], [Red up/down arrows]

**SPP\_T13\_A**

1650 x 750 x 300

plastic container type	quantity [pcs]
PB2_7000180	36
PB2B_7000352	24

300 60

ST

Icons: [Blue arrow], [Green key], [Green padlock], [Purple keypad], [Red up/down arrows]

**SPP\_03\_C**

800 x 750 x 300

plastic container type	quantity [pcs]
PB1_7000351	24
PB3_7000173	8

300 60










ST

Icons: [Blue arrow], [Green key], [Green padlock], [Purple keypad], [Red up/down arrows]

Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.

Workshop cabinet shelves.	GSB lock, two keys, 2000 combinations, master key delivery possible.	Cylinder lock, two keys, 2000 combinations, master key delivery possible.	Rotary bolt lock suitable for shackle diameter 6 mm.	Steel door.	Glass door.	Wire door.	Double-point door locking, top and bottom.
Total base load.	Shelf maximum surface load.						




 <p>Workshop cabinet shelves.</p>	 <p>Cylinder lock, two keys, 2000 combinations, master key delivery possible.</p>	 <p>Rotary bolt lock suitable for shackle diameter 6 mm.</p>	 <p>Steel door.</p>	 <p>Glass door.</p>	 <p>Wire door.</p>	 <p>Double-point door locking, top and bottom.</p>	 <p>Total base load.</p>
 <p>Shelf maximum surface load.</p>							




# CABINETS WITH PLASTIC CONTAINERS


code	colour		ST	
PB1_7000351		60 x 102 x 100		
PB1_7000350				




code	colour		ST	
PB2_7000180		75 x 102 x 160		
PB2_7000179				




code	colour		ST	
PB2B_7000708		81 x 137 x 160		
PB2B_7000352				




code	colour		ST	
PB2L_7000172		75 x 102 x 215		
PB2L_7000430				



code	colour		ST	
PB3_7000175		125 x 150 x 235		
PB3_7000173				



code	colour		ST	
PB4_7000177		150 x 205 x 352		
PB4_7000176				




Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.




# CABINETS WITH PLASTIC CONTAINERS


code	colour		ST	
PB1_7000350		60 x 102 x 100		
PB1_7000351				



code	colour		ST	
PB2_7000179		75 x 102 x 160		
PB2_7000180				




code	colour		ST	
PB2B_7000352		81 x 137 x 160		
PB2B_7000708				




code	colour		ST	
PB2L_7000430		75 x 102 x 215		
PB2L_7000172				



code	colour		ST	
PB3_7000173		125 x 150 x 235		
PB3_7000175				



code	colour		ST	
PB4_7000176		150 x 205 x 352		
PB4_7000177				



Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.




 **Buďte originální**  
Váš originální partner  
v oblasti

## NC PROGRAM



The NC program series cupboards and trolleys are designed to store and transport tools placed in plastic beds.


The program includes standard KOVOS workshop cupboards equipped with tipped shelves for uncluttered storage of tools, two trolleys and one cupboard with separately lockable drawer and door.

The plastic beds depicted next to the products are not part of the standard equipment. On customer request, we deliver beds in all basic sizes and with all basic fastening system types.




# NC PROGRAM (scheme)

## The top shelf

 Steel frame with rubber for storing objects, h. 30 mm.




Steel frame with bordered edges, 3 mm thick checkered black rubber embedded inside.

 Beech board for storing objects, h. 25 mm.



The board is treated with a linseed oil solution with additives, bevelled upper edge.

 Laminated board for storing objects, h. 18 mm, ABS edge.



Laminated LTD chipboard in colour RAL 7035 with 2 mm ABS edge.

## Door type, hanging

 Steel door.



Door sheet metal 1 mm thick, perforated framework to hang the QDN tool holders on.

 Glass door.




4 mm thick safety tempered glass embedded in a steel frame.

 Wire door.



Door panel made of hammered metal in the same colour as the cabinet's body, loop size 22 x 12 mm, embedded in a steel frame.

 Inside pins make it possible to open the door to 110°.



The doors are hung on the inside pins.



## Zamykání



GSB zámek, dva klíče, 2000 kombinací, možnost dodání hlavního klíče.



Použití pouze pro ocelové dveře.



Cylindrický zámek, dva klíče, 2000 kombinací, možnost dodání hlavního klíče.



Pouze pro výrobek NCS\_01\_A, kde je uzamykatelná zásuvka i dveře stejným klíčem.



Dvoubodové uzamykání dveří, dole a nahoře.



## NCS Equipment

 A perforation for tool holders is part of the product.



Perforation 10 x 10 mm in a 38 mm grid is designed to hang the QDN tool holders on.




The drawer allows for installation of sheet metal or plastic dividers.



You can find the dividers for this category on pages 25 and 26.



Workshop cabinet shelf.



The tilted shelf allows for better overview of the stored tools. Position adjustable 25 mm at a time. Surface area of the NCS\_POL\_01 shelf is 880 x 565 mm, the area of the NCS\_POL\_02 shelf is 435 x 565 mm.




Workshop cabinet drawer.



The drawers are height-adjustable 25 mm at a time, max. surface load is 50 kg, drawers placed on roller slides.

## NCV Equipment

 A perforation for tool holders is part of the product.



Perforation 10 x 10 mm in a 38 mm grid is designed to hang the QDN tool holders on.



Mobile castors.



2x fixed, 2x turning with brakes.



Removable rack for plastic tool beds.



The NCV\_KAS\_01 type for 100 x 100 mm plastic beds, the NCV\_KAS\_01 type for 80 x 80 mm plastic beds.



NC trolley drawer.



The drawer is placed on roller slides, max. load 40 kg.



Document pocket.



Max. size A4.

The plastic beds for the storage of tools are not part of the standard equipment of the NCS and NCV products. We are able to deliver specific beds for an extra charge.



# NC PROGRAM

door type	product option
steel door	NCS_11_E
glass door	NCS_S1_E
wire door	NCS_T1_E

optional accessory	code
shelf	NCS_POL_01
drawer	SPD_11_Z

inner drawer dividers	code
division into 4 parts	VND_SPD_11
division into 9 parts	VND_SPD_12
division into 12 parts	VND_SPD_13
plastic dividers	7000171

**NCS\_11\_E**  
 1950 x 950 x 600

door type	product option
steel door	NCS_12_B
glass door	NCS_S2_B
wire door	NCS_T2_B

optional accessory	code
shelf	NCS_POL_01
drawer	SPD_11_Z

inner drawer dividers	code
division into 4 parts	VND_SPD_11
division into 9 parts	VND_SPD_12
division into 12 parts	VND_SPD_13
plastic dividers	7000171

**NCS\_12\_B**  
 1180 x 950 x 600

door type	product option
steel door	NCS_14_B
glass door	NCS_S4_B
wire door	NCS_T4_B

optional accessory	code
shelf	NCS_POL_02
drawer	SPD_13_Z

inner drawer dividers	code
division into 4 parts	VND_SPD_14
division into 9 parts	VND_SPD_15
division into 12 parts	VND_SPD_16
plastic dividers	7000712

**NCS\_14\_B**  
 1180 x 505 x 600

door type	product option
steel door	NCS_01_A
glass door	NCS_S1_A
wire door	NCS_T1_A

optional accessory	code
shelf	NCS_POL_01

**NCS\_01\_A**  
 1180 x 950 x 600

optional accessory	code
drawer	NCV_ZAS_01
plastic bed rack 100x100mm	NCV_KAS_01
plastic bed rack 80x80mm	NCV_KAS_02

**NCV\_01\_A**  
 900 x 830 x 470

optional accessory	code
drawer	NCV_ZAS_01
plastic bed rack 100x100mm	NCV_KAS_01
plastic bed rack 80x80mm	NCV_KAS_02

**NCV\_02\_B**  
 900 x 1080 x 470

Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.

Workshop cabinet shelves.	Workshop cabinet drawer.	A perforated panel for tool holders is part of the product.	The drawer allows for the installation of sheet metal or plastic dividers.	Mobile castors.	Steel frame with rubber for storing objects, h. 30 mm.	Laminated board for storing objects, h. 18 mm, ABS edge.	Beech board for storing objects, h. 25 mm.
GSB lock, two keys, 2000 combinations, master key delivery possible.	Cylinder lock, two keys, 2000 combinations, master key delivery possible.	Steel door.	Double-point door locking, top and bottom.	Total base load.	Shelf maximum surface load.	Drawer maximum surface load.	



## MULTI DRAWER WORKSHOP CABINETS



Multi drawer workshop cabinets are designed to store tools, instruments and materials directly in the workspace. Their advantage is variability. The customer can easily configure the height and the number of drawers. Instructions can be found on page 54.


The drawers are placed on massive roller slides with 80 kg load, the inside space can be divided with the help of sheet metal or plastic dividers. After one drawer has been opened, the others are blocked. At the top the corpus is equipped with a frame embedded with rubber to lay tools on or a desktop.



# MULTI DRAWER WORKSHOP CABINETS


(scheme)

## The top shelf

 Steel frame with rubber for storing objects, h. 30 mm.



Steel frame with bordered edges, 3 mm thick checkered black rubber embedded inside.

 Beech board for storing objects, h. 25 mm.



The board is treated with a linseed oil solution with additives, bevelled upper edge.

 Laminated board for storing objects, h. 18 mm, ABS edge.



Laminated LTD chipboard in colour RAL 7035 with 2 mm ABS edge.

## Equipment



Workshop cabinet drawer.



The drawers are placed on roller slides, max. load 80 kg.



The drawer allows for installation of sheet metal or plastic dividers.



You can find the dividers for this category on pages 47, 50 and 53.

## Locking



Cylinder lock, two keys, 2000 combinations, master key delivery possible.



The cap is equipped with a blocking system to prevent the opening of more drawers at a time.




## Equipment of the DPO\_xx\_E1 and E2 cabinets

Combined drawer cabinets with doors



A perforated panel for tool holders is part of the product.



Perforation 10 x 10 mm in a 38 mm grid is designed to hang the QDN tool holders on.



Workshop cabinet shelves.



The shelves are height-adjustable 25 mm at a time, max. surface load is 60 kg.



Single-point door locking, in the middle.



Inside pins make it possible to open the door to 110°.



The doors are hung on the inside pins.



Cylinder lock, two keys, 2000 combinations, master key delivery possible.



The door lock and the drawer lock are identical and can thus be unlocked with the same key.





# MULTI DRAWER WORKSHOP CABINETS

**DPO\_03\_A** ST

840 x 720 x 700

top shelf type	product option
checkered rubber	DPO_03_A
beech board	DPO_03_AS
laminated board	DPO_03_AL

inner drawer dividers	code
dr. height 150 - 240 mm	
division into 4 parts	VND_DPO_12A
division into 9 parts	VND_DPO_12B
division into 12 parts	VND_DPO_12C

**DPO\_03\_B** ST

840 x 720 x 700

top shelf type	product option
checkered rubber	DPO_03_B
beech board	DPO_03_BS
laminated board	DPO_03_BL

inner drawer dividers	code
dr. height 60 - 120 mm	
division into 4 parts	VND_DPO_11A
division into 9 parts	VND_DPO_11B
division into 12 parts	VND_DPO_11C
plastic divider	7000170

inner drawer dividers	code
dr. height 150 - 240 mm	
division into 4 parts	VND_DPO_12A
division into 9 parts	VND_DPO_12B
division into 12 parts	VND_DPO_12C

**DPO\_03\_C** ST

840 x 720 x 700

top shelf type	product option
checkered rubber	DPO_03_C
beech board	DPO_03_CS
laminated board	DPO_03_CL

inner drawer dividers	code
dr. height 60 - 120 mm	
division into 4 parts	VND_DPO_11A
division into 9 parts	VND_DPO_11B
division into 12 parts	VND_DPO_11C
plastic divider	7000170

inner drawer dividers	code
dr. height 150 - 240 mm	
division into 4 parts	VND_DPO_12A
division into 9 parts	VND_DPO_12B
division into 12 parts	VND_DPO_12C

**DPO\_03\_D** ST

840 x 720 x 700

top shelf type	product option
checkered rubber	DPO_03_D
beech board	DPO_03_DS
laminated board	DPO_03_DL

inner drawer dividers	code
dr. height 60 - 120 mm	
division into 4 parts	VND_DPO_11A
division into 9 parts	VND_DPO_11B
division into 12 parts	VND_DPO_11C
plastic divider	7000170

inner drawer dividers	code
dr. height 150 - 240 mm	
dělení na 4 části	VND_DPO_12A
dělení na 9 částí	VND_DPO_12B
dělení na 12 částí	VND_DPO_12C

**DPO\_03\_E** ST

840 x 720 x 700

top shelf type	product option
checkered rubber	DPO_03_E
beech board	DPO_03_ES
laminated board	DPO_03_EL

inner drawer dividers	code
dr. height 60 - 120 mm	
division into 4 parts	VND_DPO_11A
division into 9 parts	VND_DPO_11B
division into 12 parts	VND_DPO_11C
plastic divider	7000170

inner drawer dividers	code
dr. height 150 - 240 mm	
division into 4 parts	VND_DPO_12A
division into 9 parts	VND_DPO_12B
division into 12 parts	VND_DPO_12C

**DPO\_03\_F** ST

840 x 720 x 700

top shelf type	product option
checkered rubber	DPO_03_F
beech board	DPO_03_FS
laminated board	DPO_03_FL

inner drawer dividers	code
dr. height 60 - 120 mm	
division into 4 parts	VND_DPO_11A
division into 9 parts	VND_DPO_11B
division into 12 parts	VND_DPO_11C
plastic divider	7000170

inner drawer dividers	code
dr. height 150 - 240 mm	
division into 4 parts	VND_DPO_12A
division into 9 parts	VND_DPO_12B
division into 12 parts	VND_DPO_12C



Dimensions: **h x w x d** ST Standard – equipment part of the product.

Extra cost – equipment available for an extra charge.

Workshop cabinet drawer.	The drawer allows for the installation of sheet metal or plastic dividers.	Steel frame with rubber for storing objects, h. 30 mm.	Cylinder lock, two keys, 2000 combinations, master key delivery possible.	Equipped with a blocking system to prevent the opening of more than one drawer at a time.	Total base load.	Drawer maximum surface load.	

# MULTI DRAWER WORKSHOP CABINETS




**DPO\_01\_A**  



1030 x 720 x 700

top shelf type	product option
checkered rubber	DPO_01_A
beech board	DPO_01_AS
laminated board	DPO_01_AL

inner drawer dividers dr. height 60 - 120 mm	code
division into 4 parts	VND_DPO_11A
division into 9 parts	VND_DPO_11B
division into 12 parts	VND_DPO_11C
plastic divider	7000170

inner drawer dividers dr. height 150 - 240 mm	code
division into 4 parts	VND_DPO_12A
division into 9 parts	VND_DPO_12B
division into 12 parts	VND_DPO_12C




**DPO\_01\_B**  



1030 x 720 x 700

top shelf type	product option
checkered rubber	DPO_01_B
beech board	DPO_01_BS
laminated board	DPO_01_BL

inner drawer dividers dr. height 60 - 120 mm	code
division into 4 parts	VND_DPO_11A
division into 9 parts	VND_DPO_11B
division into 12 parts	VND_DPO_11C
plastic divider	7000170

inner drawer dividers dr. height 150 - 240 mm	code
division into 4 parts	VND_DPO_12A
division into 9 parts	VND_DPO_12B
division into 12 parts	VND_DPO_12C




**DPO\_01\_C**  



1030 x 720 x 700

top shelf type	product option
checkered rubber	DPO_01_C
beech board	DPO_01_CS
laminated board	DPO_01_CL

inner drawer dividers dr. height 60 - 120 mm	code
division into 4 parts	VND_DPO_11A
division into 9 parts	VND_DPO_11B
division into 12 parts	VND_DPO_11C
plastic divider	7000170

inner drawer dividers dr. height 150 - 240 mm	code
division into 4 parts	VND_DPO_12A
division into 9 parts	VND_DPO_12B
division into 12 parts	VND_DPO_12C




**DPO\_01\_D**  



1030 x 720 x 700

top shelf type	product option
checkered rubber	DPO_01_D
beech board	DPO_01_DS
laminated board	DPO_01_DL

inner drawer dividers dr. height 60 - 120 mm	code
division into 4 parts	VND_DPO_11A
division into 9 parts	VND_DPO_11B
division into 12 parts	VND_DPO_11C
plastic divider	7000170

inner drawer dividers dr. height 150 - 240 mm	code
division into 4 parts	VND_DPO_12A
division into 9 parts	VND_DPO_12B
division into 12 parts	VND_DPO_12C




**DPO\_01\_E**  



1030 x 720 x 700

top shelf type	product option
checkered rubber	DPO_01_E
beech board	DPO_01_ES
laminated board	DPO_01_EL

inner drawer dividers dr. height 60 - 120 mm	code
division into 4 parts	VND_DPO_11A
division into 9 parts	VND_DPO_11B
division into 12 parts	VND_DPO_11C
plastic divider	7000170

inner drawer dividers dr. height 150 - 240 mm	code
division into 4 parts	VND_DPO_12A
division into 9 parts	VND_DPO_12B
division into 12 parts	VND_DPO_12C




**DPO\_01\_F**  

1030 x 720 x 700













top shelf type	product option
checkered rubber	DPO_01_F
beech board	DPO_01_FS
laminated board	DPO_01_FL

inner drawer dividers dr. height 60 - 120 mm	code
division into 4 parts	VND_DPO_11A
division into 9 parts	VND_DPO_11B
division into 12 parts	VND_DPO_11C
plastic divider	7000170

inner drawer dividers dr. height 150 - 240 mm	code
division into 4 parts	VND_DPO_12A
division into 9 parts	VND_DPO_12B
division into 12 parts	VND_DPO_12C



Dimensions: h x w x d **ST** Standard – equipment part of the product.  Extra cost – equipment available for an extra charge.

											
Workshop cabinet drawer.	The drawer allows for the installation of sheet metal or plastic dividers.	Steel frame with rubber for storing objects, h. 30 mm.	Cylinder lock, two keys, 2000 combinations, master key delivery possible.	Equipped with a blocking system to prevent the opening of more than one drawer at a time.	Total base load.	Drawer maximum surface load.					



# MULTI DRAWER WORKSHOP CABINETS

**DPO\_05\_A**

1350 x 720 x 700

top shelf type	product option
checkered rubber	DPO_05_A
beech board	DPO_05_AS
laminated board	DPO_05_AL

inner drawer dividers	code
dr. height 60 - 120 mm	
division into 4 parts	VND_DPO_11A
division into 9 parts	VND_DPO_11B
division into 12 parts	VND_DPO_11C
plastic divider	7000170

inner drawer dividers	code
dr. height 150 - 240 mm	
division into 4 parts	VND_DPO_12A
division into 9 parts	VND_DPO_12B
division into 12 parts	VND_DPO_12C

**DPO\_05\_B**

1350 x 720 x 700

top shelf type	product option
checkered rubber	DPO_05_B
beech board	DPO_05_BS
laminated board	DPO_05_BL

inner drawer dividers	code
dr. height 60 - 120 mm	
division into 4 parts	VND_DPO_11A
division into 9 parts	VND_DPO_11B
division into 12 parts	VND_DPO_11C
plastic divider	7000170

inner drawer dividers	code
dr. height 150 - 240 mm	
division into 4 parts	VND_DPO_12A
division into 9 parts	VND_DPO_12B
division into 12 parts	VND_DPO_12C

**DPO\_05\_C**

1350 x 720 x 700

top shelf type	product option
checkered rubber	DPO_05_C
beech board	DPO_05_CS
laminated board	DPO_05_CL

inner drawer dividers	code
dr. height 60 - 120 mm	
division into 4 parts	VND_DPO_11A
division into 9 parts	VND_DPO_11B
division into 12 parts	VND_DPO_11C
plastic divider	7000170

inner drawer dividers	code
dr. height 150 - 240 mm	
division into 4 parts	VND_DPO_12A
division into 9 parts	VND_DPO_12B
division into 12 parts	VND_DPO_12C

**DPO\_05\_D**

1350 x 720 x 700

top shelf type	product option
checkered rubber	DPO_05_D
beech board	DPO_05_DS
laminated board	DPO_05_DL

inner drawer dividers	code
dr. height 60 - 120 mm	
division into 4 parts	VND_DPO_11A
division into 9 parts	VND_DPO_11B
division into 12 parts	VND_DPO_11C
plastic divider	7000170

inner drawer dividers	code
dr. height 150 - 240 mm	
division into 4 parts	VND_DPO_12A
division into 9 parts	VND_DPO_12B
division into 12 parts	VND_DPO_12C

**DPO\_05\_E**

1350 x 720 x 700

top shelf type	product option
checkered rubber	DPO_05_E
beech board	DPO_05_ES
laminated board	DPO_05_EL

inner drawer dividers	code
dr. height 60 - 120 mm	
division into 4 parts	VND_DPO_11A
division into 9 parts	VND_DPO_11B
division into 12 parts	VND_DPO_11C
plastic divider	7000170

inner drawer dividers	code
dr. height 150 - 240 mm	
division into 4 parts	VND_DPO_12A
division into 9 parts	VND_DPO_12B
division into 12 parts	VND_DPO_12C

**DPO\_05\_F**

1350 x 720 x 700

top shelf type	product option
checkered rubber	DPO_05_F
beech board	DPO_05_FS
laminated board	DPO_05_FL

inner drawer dividers	code
dr. height 60 - 120 mm	
division into 4 parts	VND_DPO_11A
division into 9 parts	VND_DPO_11B
division into 12 parts	VND_DPO_11C
plastic divider	7000170

inner drawer dividers	code
dr. height 150 - 240 mm	
division into 4 parts	VND_DPO_12A
division into 9 parts	VND_DPO_12B
division into 12 parts	VND_DPO_12C

Dimensions: h x w x d **ST** Standard – equipment part of the product.

Extra cost – equipment available for an extra charge.

Workshop cabinet drawer.	The drawer allows for the installation of sheet metal or plastic dividers.	Steel frame with rubber for storing objects, h. 30 mm.	Cylinder lock, two keys, 2000 combinations, master key delivery possible.	Equipped with a blocking system to prevent the opening of more than one drawer at a time.	Total base load.	Drawer maximum surface load.		



# MULTI DRAWER WORKSHOP CABINETS

(inner dividers for DPO\_01\_A, DPO\_03\_X, DPO\_05\_X with the base 720 x 700 mm)

ST

VND\_DP0\_11A

47 x 615 x 558

Divider for drawers  
60 / 90 / 120

ST

VND\_DP0\_12A

127 x 615 x 558

Divider for drawers  
150 / 180 / 210 / 240

ST

VND\_DP0\_11B

47 x 615 x 558

Divider for drawers  
60 / 90 / 120

ST

VND\_DP0\_12B

127 x 615 x 558

Divider for drawers  
150 / 180 / 210 / 240

ST

VND\_DP0\_11C

47 x 615 x 558

Divider for drawers  
60 / 90 / 120

ST

VND\_DP0\_12C

127 x 615 x 558

Divider for drawers  
150 / 180 / 210 / 240

ST



7000170

36 x 600 x 550

Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.




# MULTI DRAWER WORKSHOP CABINETS


**DPO\_02\_A**  



1030 x 500 x 700

top shelf type	product option
checkered rubber	DPO_02_A
beech board	DPO_02_AS
laminated board	DPO_02_AL

inner drawer dividers	code
dr. height 60 - 120 mm	
division into 4 parts	VND_DPK_11A
division into 9 parts	VND_DPK_11B
division into 12 parts	VND_DPK_11C
plastic divider	7000168

inner drawer dividers	code
dr. height 150 - 240 mm	
division into 4 parts	VND_DPK_12A
division into 9 parts	VND_DPK_12B
division into 12 parts	VND_DPK_12C




**DPO\_02\_B**  



1030 x 500 x 700

top shelf type	product option
checkered rubber	DPO_02_B
beech board	DPO_02_BS
laminated board	DPO_02_BL

inner drawer dividers	code
dr. height 60 - 120 mm	
division into 4 parts	VND_DPK_11A
division into 9 parts	VND_DPK_11B
division into 12 parts	VND_DPK_11C
plastic divider	7000168

inner drawer dividers	code
dr. height 150 - 240 mm	
division into 4 parts	VND_DPK_12A
division into 9 parts	VND_DPK_12B
division into 12 parts	VND_DPK_12C




**DPO\_02\_C**  



1030 x 500 x 700

top shelf type	product option
checkered rubber	DPO_02_C
beech board	DPO_02_CS
laminated board	DPO_02_CL

inner drawer dividers	code
dr. height 60 - 120 mm	
division into 4 parts	VND_DPK_11A
division into 9 parts	VND_DPK_11B
division into 12 parts	VND_DPK_11C
plastic divider	7000168

inner drawer dividers	code
dr. height 150 - 240 mm	
division into 4 parts	VND_DPK_12A
division into 9 parts	VND_DPK_12B
division into 12 parts	VND_DPK_12C




**DPO\_02\_D**  



1030 x 500 x 700

top shelf type	product option
checkered rubber	DPO_02_D
beech board	DPO_02_DS
laminated board	DPO_02_DL

inner drawer dividers	code
dr. height 60 - 120 mm	
division into 4 parts	VND_DPK_11A
division into 9 parts	VND_DPK_11B
division into 12 parts	VND_DPK_11C
plastic divider	7000168

inner drawer dividers	code
dr. height 150 - 240 mm	
division into 4 parts	VND_DPK_12A
division into 9 parts	VND_DPK_12B
division into 12 parts	VND_DPK_12C




**DPO\_02\_E1**  



1030 x 500 x 700

top shelf type	product option
checkered rubber	DPO_02_E1
beech board	DPO_02_E1S
laminated board	DPO_02_E1L

inner drawer dividers	code
dr. height 60 - 120 mm	
division into 4 parts	VND_DPK_11A
division into 9 parts	VND_DPK_11B
division into 12 parts	VND_DPK_11C
plastic divider	7000168

inner drawer dividers	code
dr. height 150 - 240 mm	
division into 4 parts	VND_DPK_12A
division into 9 parts	VND_DPK_12B
division into 12 parts	VND_DPK_12C




**DPO\_02\_E2**  

1030 x 500 x 700













top shelf type	product option
checkered rubber	DPO_02_E2
beech board	DPO_02_E2S
laminated board	DPO_02_E2L

inner drawer dividers	code
dr. height 60 - 120 mm	
division into 4 parts	VND_DPK_11A
division into 9 parts	VND_DPK_11B
division into 12 parts	VND_DPK_11C
plastic divider	7000168

inner drawer dividers	code
dr. height 150 - 240 mm	
division into 4 parts	VND_DPK_12A
division into 9 parts	VND_DPK_12B
division into 12 parts	VND_DPK_12C



Dimensions: h x w x d  Standard – equipment part of the product.  Extra cost – equipment available for an extra charge.

							
Workshop cabinet shelves.	Workshop cabinet drawer.	A perfo-panel for tool holders is part of the product.	The drawer allows for the installation of sheet metal or plastic dividers.	Steel frame with rubber for storing objects, h. 30 mm.	Cylinder lock, two keys, 2000 combinations, master key delivery possible.	Equipped with a blocking system to prevent the opening of more than one drawer at a time.	Single-point door locking, in the middle.
							
Total base load.	Shelf maximum surface load.	Drawer maximum surface load.					

# MULTI DRAWER WORKSHOP CABINETS



**DPO\_04\_A** 1350 x 500 x 700

top shelf type	product option
checkered rubber	DPO_04_A
beech board	DPO_04_AS
laminated board	DPO_04_AL

inner drawer dividers	code
dr. height 60 - 120 mm	VND_DPK_11A
division into 4 parts	VND_DPK_11B
division into 9 parts	VND_DPK_11C
plastic divider	7000168

inner drawer dividers	code
dr. height 150 - 240 mm	VND_DPK_12A
division into 4 parts	VND_DPK_12B
division into 9 parts	VND_DPK_12C

**DPO\_04\_B** 1350 x 500 x 700

top shelf type	product option
checkered rubber	DPO_04_B
beech board	DPO_04_BS
laminated board	DPO_04_BL

inner drawer dividers	code
dr. height 60 - 120 mm	VND_DPK_11A
division into 4 parts	VND_DPK_11B
division into 9 parts	VND_DPK_11C
plastic divider	7000168

inner drawer dividers	code
dr. height 150 - 240 mm	VND_DPK_12A
division into 4 parts	VND_DPK_12B
division into 9 parts	VND_DPK_12C

**DPO\_04\_C** 1350 x 500 x 700

top shelf type	product option
checkered rubber	DPO_04_C
beech board	DPO_04_CS
laminated board	DPO_04_CL

inner drawer dividers	code
dr. height 60 - 120 mm	VND_DPK_11A
division into 4 parts	VND_DPK_11B
division into 9 parts	VND_DPK_11C
plastic divider	7000168

inner drawer dividers	code
dr. height 150 - 240 mm	VND_DPK_12A
division into 4 parts	VND_DPK_12B
division into 9 parts	VND_DPK_12C

**DPO\_04\_D** 1350 x 500 x 700

top shelf type	product option
checkered rubber	DPO_04_D
beech board	DPO_04_DS
laminated board	DPO_04_DL

inner drawer dividers	code
dr. height 60 - 120 mm	VND_DPK_11A
division into 4 parts	VND_DPK_11B
division into 9 parts	VND_DPK_11C
plastic divider	7000168

inner drawer dividers	code
dr. height 150 - 240 mm	VND_DPK_12A
division into 4 parts	VND_DPK_12B
division into 9 parts	VND_DPK_12C

**DPO\_04\_E1** 1350 x 500 x 700

top shelf type	product option
checkered rubber	DPO_04_E1
beech board	DPO_04_E1S
laminated board	DPO_04_E1L

inner drawer dividers	code
dr. height 60 - 120 mm	VND_DPK_11A
division into 4 parts	VND_DPK_11B
division into 9 parts	VND_DPK_11C
plastic divider	7000168

inner drawer dividers	code
dr. height 150 - 240 mm	VND_DPK_12A
division into 4 parts	VND_DPK_12B
division into 9 parts	VND_DPK_12C

**DPO\_04\_E2** 1350 x 500 x 700

top shelf type	product option
checkered rubber	DPO_04_E2
beech board	DPO_04_E2S
laminated board	DPO_04_E2L

inner drawer dividers	code
dr. height 60 - 120 mm	VND_DPK_11A
division into 4 parts	VND_DPK_11B
division into 9 parts	VND_DPK_11C
plastic divider	7000168

inner drawer dividers	code
dr. height 150 - 240 mm	VND_DPK_12A
division into 4 parts	VND_DPK_12B
division into 9 parts	VND_DPK_12C

Dimensions: h x w x d **ST** Standard – equipment part of the product.

Extra cost – equipment available for an extra charge.

Workshop cabinet shelves.	Workshop cabinet drawer.	A perforated panel for tool holders is part of the product.	The drawer allows for the installation of sheet metal or plastic dividers.	Steel frame with rubber for storing objects, h. 30 mm.	Cylinder lock, two keys, 2000 combinations, master key delivery possible.	Equipped with a blocking system to prevent the opening of more than one drawer at a time.	Single-point door locking, in the middle.
Total base load.	Shelf maximum surface load.	Drawer maximum surface load.					



# MULTI DRAWER WORKSHOP CABINETS

(inner dividers for DPO\_02\_X, DPO\_04\_X with the base 500 x 700 mm)

ST

VND\_DPK\_11A

Divider for drawers  
60 / 90 / 120

47 x 395 x 558

ST

VND\_DPK\_12A

Divider for drawers  
150 / 180 / 210 / 240

127 x 395 x 558

ST

VND\_DPK\_11B

Divider for drawers  
60 / 90 / 120

47 x 395 x 558

ST

VND\_DPK\_12B

Divider for drawers  
150 / 180 / 210 / 240

125 x 395 x 558

ST

VND\_DPK\_11C

Divider for drawers  
60 / 90 / 120

47 x 395 x 558

ST

VND\_DPK\_12C

Divider for drawers  
150 / 180 / 210 / 240

127 x 395 x 558

ST



7000168

35 x 360 x 550

Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.


# MULTI DRAWER WORKSHOP CABINETS






**DPO\_06\_A**  

840 x 1000 x 700

top shelf type	product option
checkered rubber	DPO_06_A
beech board	DPO_06_AS
laminated board	DPO_06_AL

inner drawer dividers	code
dr. height 150 - 240 mm	
division into 4 parts	VND_DPO_22A
division into 9 parts	VND_DPO_22B
division into 12 parts	VND_DPO_22C




**DPO\_06\_B**  



840 x 1000 x 700

top shelf type	product option
checkered rubber	DPO_06_B
beech board	DPO_06_BS
laminated board	DPO_06_BL

inner drawer dividers	code
dr. height 60 - 120 mm	
division into 4 parts	VND_DPO_21A
division into 9 parts	VND_DPO_21B
division into 12 parts	VND_DPO_21C
plastic divider	7000713

inner drawer dividers	code
dr. height 150 - 240 mm	
division into 4 parts	VND_DPO_22A
division into 9 parts	VND_DPO_22B
division into 12 parts	VND_DPO_22C




**DPO\_06\_C**  



840 x 1000 x 700

top shelf type	product option
checkered rubber	DPO_06_C
beech board	DPO_06_CS
laminated board	DPO_06_CL

inner drawer dividers	code
dr. height 60 - 120 mm	
division into 4 parts	VND_DPO_21A
division into 9 parts	VND_DPO_21B
division into 12 parts	VND_DPO_21C
plastic divider	7000713

inner drawer dividers	code
dr. height 150 - 240 mm	
division into 4 parts	VND_DPO_22A
division into 9 parts	VND_DPO_22B
division into 12 parts	VND_DPO_22C




**DPO\_06\_D**  



840 x 1000 x 700

top shelf type	product option
checkered rubber	DPO_06_D
beech board	DPO_06_DS
laminated board	DPO_06_DL

inner drawer dividers	code
dr. height 60 - 120 mm	
division into 4 parts	VND_DPO_21A
division into 9 parts	VND_DPO_21B
division into 12 parts	VND_DPO_21C
plastic divider	7000713

inner drawer dividers	code
dr. height 150 - 240 mm	
division into 4 parts	VND_DPO_22A
division into 9 parts	VND_DPO_22B
division into 12 parts	VND_DPO_22C




**DPO\_06\_E**  



840 x 1000 x 700

top shelf type	product option
checkered rubber	DPO_06_E
beech board	DPO_06_ES
laminated board	DPO_06_EL

inner drawer dividers	code
dr. height 60 - 120 mm	
division into 4 parts	VND_DPO_21A
division into 9 parts	VND_DPO_21B
division into 12 parts	VND_DPO_21C
plastic divider	7000713

inner drawer dividers	code
dr. height 150 - 240 mm	
division into 4 parts	VND_DPO_22A
division into 9 parts	VND_DPO_22B
division into 12 parts	VND_DPO_22C




**DPO\_06\_F**  

840 x 1000 x 700








top shelf type	product option
checkered rubber	DPO_06_F
beech board	DPO_06_FS
laminated board	DPO_06_FL

inner drawer dividers	code
dr. height 60 - 120 mm	
division into 4 parts	VND_DPO_21A
division into 9 parts	VND_DPO_21B
division into 12 parts	VND_DPO_21C
plastic divider	7000713

inner drawer dividers	code
dr. height 150 - 240 mm	
division into 4 parts	VND_DPO_22A
division into 9 parts	VND_DPO_22B
division into 12 parts	VND_DPO_22C





Dimensions: **h x w x d**  Standard – equipment part of the product.  Extra cost – equipment available for an extra charge.

							
Workshop cabinet shelves.	The drawer allows for the installation of sheet metal or plastic dividers.	Steel frame with rubber for storing objects, h. 30 mm.	Cylinder lock, two keys, 2000 combinations, master key delivery possible.	Equipped with a blocking system to prevent the opening of more than one drawer at a time.	Total base load.	Drawer maximum surface load.	



# MULTI DRAWER WORKSHOP CABINETS


**DPO\_07\_A**  



1030 x 1000 x 700

top shelf type	product option
checkered rubber	DPO_07_A
beech board	DPO_07_AS
laminated board	DPO_07_AL

inner drawer dividers	code
dr. height 60 - 120 mm	
division into 4 parts	VND_DPO_21A
division into 9 parts	VND_DPO_21B
division into 12 parts	VND_DPO_21C
plastic divider	7000713

inner drawer dividers	code
dr. height 150 - 240 mm	
division into 4 parts	VND_DPO_22A
division into 9 parts	VND_DPO_22B
division into 12 parts	VND_DPO_22C




**DPO\_07\_B**  



1030 x 1000 x 700

top shelf type	product option
checkered rubber	DPO_07_B
beech board	DPO_07_BS
laminated board	DPO_07_BL

inner drawer dividers	code
dr. height 60 - 120 mm	
division into 4 parts	VND_DPO_21A
division into 9 parts	VND_DPO_21B
division into 12 parts	VND_DPO_21C
plastic divider	7000713

inner drawer dividers	code
dr. height 150 - 240 mm	
division into 4 parts	VND_DPO_22A
division into 9 parts	VND_DPO_22B
division into 12 parts	VND_DPO_22C




**DPO\_07\_C**  



1030 x 1000 x 700

top shelf type	product option
checkered rubber	DPO_07_C
beech board	DPO_07_CS
laminated board	DPO_07_CL

inner drawer dividers	code
dr. height 60 - 120 mm	
division into 4 parts	VND_DPO_21A
division into 9 parts	VND_DPO_21B
division into 12 parts	VND_DPO_21C
plastic divider	7000713

inner drawer dividers	code
dr. height 150 - 240 mm	
division into 4 parts	VND_DPO_22A
division into 9 parts	VND_DPO_22B
division into 12 parts	VND_DPO_22C




**DPO\_07\_D**  



1030 x 1000 x 700

top shelf type	product option
checkered rubber	DPO_07_D
beech board	DPO_07_DS
laminated board	DPO_07_DL

inner drawer dividers	code
dr. height 60 - 120 mm	
division into 4 parts	VND_DPO_21A
division into 9 parts	VND_DPO_21B
division into 12 parts	VND_DPO_21C
plastic divider	7000713

inner drawer dividers	code
dr. height 150 - 240 mm	
division into 4 parts	VND_DPO_22A
division into 9 parts	VND_DPO_22B
division into 12 parts	VND_DPO_22C




**DPO\_07\_E**  



1030 x 1000 x 700

top shelf type	product option
checkered rubber	DPO_07_E
beech board	DPO_07_ES
laminated board	DPO_07_EL

inner drawer dividers	code
dr. height 60 - 120 mm	
division into 4 parts	VND_DPO_21A
division into 9 parts	VND_DPO_21B
division into 12 parts	VND_DPO_21C
plastic divider	7000713

inner drawer dividers	code
dr. height 150 - 240 mm	
division into 4 parts	VND_DPO_22A
division into 9 parts	VND_DPO_22B
division into 12 parts	VND_DPO_22C




**DPO\_07\_F**  


1030 x 1000 x 700

















top shelf type	product option
checkered rubber	DPO_07_F
beech board	DPO_07_FS
laminated board	DPO_07_FL

inner drawer dividers	code
dr. height 60 - 120 mm	
division into 4 parts	VND_DPO_21A
division into 9 parts	VND_DPO_21B
division into 12 parts	VND_DPO_21C
plastic divider	7000713

inner drawer dividers	code
dr. height 150 - 240 mm	
division into 4 parts	VND_DPO_22A
division into 9 parts	VND_DPO_22B
division into 12 parts	VND_DPO_22C



Dimensions: h x w x d  Standard – equipment part of the product.  Extra cost – equipment available for an extra charge.

															
Workshop cabinet shelves.	The drawer allows for the installation of sheet metal or plastic dividers.	Steel frame with rubber for storing objects, h. 30 mm.	Cylinder lock, two keys, 2000 combinations, master key delivery possible.	Equipped with a blocking system to prevent the opening of more than one drawer at a time.	Total base load.	Drawer maximum surface load.									



# MULTI DRAWER WORKSHOP CABINETS

(inner dividers for DPO\_06\_X, DPO\_07\_X with the base 1000 x 700 mm)

ST

VND\_DP0\_21A

47 x 895 x 558

Divider for drawers  
60 / 90 / 120

ST

VND\_DP0\_22A

127 x 895 x 558

Divider for drawers  
150 / 180 / 210 / 240

ST

VND\_DP0\_21B

47 x 895 x 558

Divider for drawers  
60 / 90 / 120

ST

VND\_DP0\_22B

127 x 895 x 558

Divider for drawers  
150 / 180 / 210 / 240

ST

VND\_DP0\_21C

47 x 895 x 558

Divider for drawers  
60 / 90 / 120

ST

VND\_DP0\_22C

127 x 895 x 558

Divider for drawers  
150 / 180 / 210 / 240

ST

7000713


35 x 850 x 550

Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.




# MULTI DRAWER WORKSHOP CABINETS


(configuration of drawers)



Nominal drawer heights are quoted for each product to enable the customer to choose the desired number of drawers of different nominal heights.

The sum total must always equal the number stated below the double line.

We offer drawers of these nominal heights: 60, 90, 120, 150, 180, 210, 240.





# PROFESSIONAL HEAVY-DUTY WORKBENCHES ASSEMBLED



Professional assembled workbenches are robust and stable and are designed particularly for manufacturing halls, car repair shops, workshops, schools and labs. Maximum workbench load when wheels are not used is 500 kg.

A wide selection of components makes it possible to configure a workbench which exactly matches the customer's requirements. You can select width, height and worktop type, leg type, connecting trestle, lower shelf, and choose from a wide range of under the worktop containers, rolling or basic containers, a perfopanel for tool holders on top of the worktop or a cabinet extension. There is also a wide offer of electricity and air switchboards which can be found on pages 97 and 98.

Try to assemble your own assembly workbench to suit your requirements with the help of the electronic workbench configurator at [www.konfigurace-stolu.cz](http://www.konfigurace-stolu.cz).

The workbench is delivered disassembled, as individual components.



# PROFESSIONAL HEAVY DUTY WORKBENCHES ASSEMBLED (scheme)



## Perforated panels for tool holders.

- 3 x steel profile stand 30 x 30 mm, varnished
- 4 x zinc coated perforated panel with 10 x 10 mm perforation in a 38 mm grid to fix the QDN tool holders onto
- the perforated panel is fixed to the workbench with the help of screws


You can find the perforated panels on page 66 and the QDN tool holders on page 132.



## Cabinet extensions.

- the inside of the doors and the back side are equipped with 10 x 10 mm perforation in a 38 mm grid to fix the QDN tool holders onto
- one shelf in each cabinet
- double-point locking
- door hung on inside pins

You can find the cupboard extensions on page 66 and the QDN tool holder on page 132.



## Worktops.

- assembly workbench worktops available in heights 25, 40 and 50 mm
- it is possible to choose between beech board, multiplex and laminate
- rubber, various kinds of sheet metal, or PE and PP boards can be fixed onto the worktops

You can find the worktops and the limitations of their use on page 92.



## Professional workbench legs.

- robust welded construction made of 2 mm thick sheet metal with 500 kg dead weight
- the legs are produced as fixed, height-adjustable, rolling, with a cupboard or electro and pneumatic equipment
- when using 2 pcs of legs for a workbench, a DPT connective (trestle) must be added, it is further possible to add shelves DPS\_21\_BS25 or DPS\_22\_BS25

You can find the professional workbench legs on page 67, the connectives (trestles) and the DPS shelves on page 66.



## Under the worktop containers.

- locking with the help of cylinder lock with central locking and blocking to prevent opening of more than one drawer at a time
- the container can be placed under worktops with minimum height 40 mm
- the drawers are placed on massive roller trays
- drawers can be equipped with VND inner dividers
- the container drawers can be configured according to the rule explained on page 54

You can find the under the worktop containers on page 68 and the VND inner dividers on page 72.



## Basic containers.

- locking with the help of cylinder lock with central locking and blocking to prevent opening of more than one drawer at a time
- the drawers are placed on massive roller slides
- drawers can be equipped with VND inner dividers
- the container drawers can be configured according to the rule explained on page 54

You can find the basic containers on page 68 and the VND inner dividers on page 72.



## Mobile containers.

- locking with the help of cylinder lock with central locking and blocking to prevent opening of more than one drawer at a time
- the drawers are placed on massive roller slides
- drawers can be equipped with VND inner dividers
- the container drawers can be configured according to the rule explained on page 54
- the upper desktop is formed by a steel frame with hemmed edges, with 3 mm high checkered black rubber on the inside
- 2 x fixed and 2 x turning wheel with brakes, 80 mm diameter

You can find the rolling containers on page 71 and the VND inner dividers on page 72.





# EXAMPLES OF DPS WORKBENCH SETS, WIDTH 1500 mm

(on-line configurator at [www.konfigurace-stolu.cz](http://www.konfigurace-stolu.cz))

rank	code	dimensions	quantity
1	DPS_01_BS40	40 x 1500 x 750	1
2	DPN_01_A	810 x 150 x 700	2
3	DPT_01_A	48 x 1200 x 100	1



ST

Set DPS\_101

500

rank	code	dimensions	quantity
1	DPS_01_BS40	40 x 1500 x 750	1
2	DPN_01_A	810 x 150 x 700	1
3	DPK_01_A	810 x 500 x 700	1




ST

Set DPS\_102

500

80

rank	code	dimensions	quantity
1	DPS_01_BS40	40 x 1500 x 750	1
2	DPN_01_A	810 x 150 x 700	1
3	DPK_01_B	810 x 500 x 700	1
4	DPR_01_A	760 x 1500 x 95	1



ST

Set DPS\_103

500

80

Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.

 Total base load.	 Drawer maximum surface load.								

A wooden desk with a grey metal frame and a blue cabinet. The desk has a light-colored wooden top and a grey metal frame. On the right side, there is a blue cabinet with a silver handle. The desk is shown from a three-quarter view.

Drawer maximum surface load



# EXAMPLES OF DPS WORKBENCH SETS, WIDTH 1500 mm

(on-line configurator at [www.konfigurace-stolu.cz](http://www.konfigurace-stolu.cz))

rank	code	dimensions	quantity
1	DPS_01_BS40	40 x 1500 x 750	1
2	DPK_01_E1	810 x 500 x 700	1
3	DPN_01_A	810 x 150 x 700	1
4	DPP_01_C	780 x 500 x 700	1



Set DPS\_107

ST



rank	code	dimensions	quantity
1	DPS_01_BS40	40 x 1500 x 750	1
2	DPN_01_B	790-1030 x 150 x 700	2
3	DPK_02_A	340 x 500 x 700	1
4	DPK_02_C	340 x 500 x 700	1
5	DPT_01_A	48 x 1200 x 100	1



Set DPS\_108

ST



rank	code	dimensions	quantity
1	DPS_01_BS40	40 x 1500 x 750	1
2	DPN_01_B	790-1030 x 150 x 700	2
3	DPZ_01_A	340 x 500 x 700	1
4	DPT_01_A	48 x 1200 x 100	1
5	DPR_01_A	760 x 1500 x 95	1



Set DPS\_109

ST






Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.

 Total base load.	 Shelf maximum surface load.	 Drawer maximum surface load.						

[illegible][illegible]

.....

61

A wooden desk with a metal frame and a blue storage cabinet. The desk has a light-colored wooden top and a grey metal frame. On the right side, there is a blue storage cabinet with three drawers, each with a silver handle. The desk is shown from a side-on perspective.A wooden workbench with a metal frame and a perforated metal back panel. The workbench has a light-colored wooden top and a grey metal frame. The back panel is made of perforated metal and is mounted on the frame. The workbench is shown from a side-on perspective.

Total base load.

Drawer maximum surface load

A wooden desk with a metal frame and a blue cabinet. The desk has a light-colored wooden top and a grey metal frame. On the right side, there is a blue cabinet with a silver handle. The desk is shown from a side-on perspective.A wooden desk with a metal frame. On the left side, there is a set of five drawers with blue fronts and silver handles. On the right side, there is a cabinet with a single blue door and a silver handle. The desk has a light-colored wooden top.A modular storage unit with a grey frame and blue doors. It features a long wooden top surface. Below the top, there are four blue cabinet doors arranged in a row. Underneath these cabinets are three open shelving compartments. The unit is supported by two grey legs, each with a blue cabinet door at the base.

							
Total base load.	Shelf maximum surface load.	Drawer maximum surface load.					



# EXAMPLES OF DPS WORKBENCH SETS, WIDTH 2000 mm

(on-line configurator at [www.konfigurace-stolu.cz](http://www.konfigurace-stolu.cz))

rank	code	dimensions	quantity
1	DPS_02_BS40	40 x 2000 x 750	1
2	DPN_01_A	810 x 150 x 700	1
3	DPK_01_E1	810 x 500 x 700	1
4	DPP_01_C	780 x 500 x 700	1



Set DPS\_207

ST



rank	code	dimensions	quantity
1	DPS_02_BS40	40 x 2000 x 750	1
2	DPN_01_B	790-1030 x 150 x 700	2
3	DPK_02_A	340 x 500 x 700	1
4	DPK_02_C	340 x 500 x 700	1
5	DPT_02_A	48 x 1700 x 100	1



Set DPS\_208

ST



rank	code	dimensions	quantity
1	DPS_02_BS40	40 x 2000 x 750	1
2	DPN_01_B	790-1030 x 150 x 700	2
3	DPZ_01_A	340 x 500 x 700	1
4	DPT_02_A	48 x 1700 x 100	1
5	DPR_02_A	760 x 2000 x 95	1



Set DPS\_209


ST





Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.




 Total base load.	 Shelf maximum surface load.	 Drawer maximum surface load.						

A wooden desk with a metal frame and three blue drawers. The desk has a light-colored wooden top and a grey metal frame. On the left side, there are three blue drawers with silver handles. The desk is supported by a metal leg on the right side.

ST	
Set DPS_210	


ST			
Set DPS_211			

<h1>Set DPS_212</h1>	<div>ST</div>	
		

 <p>Total base load.</p>	 <p>Shelf maximum surface load.</p>	 <p>Drawer maximum surface load.</p>					





# PROFESSIONAL HEAVY DUTY WORKBENCHES ASSEMBLED




**DPS\_01\_BS40**


40 x 1500 x 750


worktop	code
beech board 40 mm	DPS_01_BS40
multiplex board 40 mm	DPS_01_MP40
beech board 50 mm	DPS_01_BS50
beech board 25 mm	DPS_01_BS25
beech board 40 mm with rubber, circle pattern	DPS_01_BS40_G3
beech board 40 mm with zinc coat. sheet met.	DPS_01_BS40_O1
beech board 40 mm elevated edge	DPS_01_BS40_M
laminated LTD board 25 mm	DPS_01_LM25
beech board 25 mm with 15 mm PP board	DPS_01_PP15BS25

for complete assortment of worktops see pages 92–93







500




**DPS\_02\_BS40**


40 x 2000 x 750

worktop	code
beech board 40 mm	DPS_02_BS40
multiplex board 40 mm	DPS_02_MP40
beech board 50 mm	DPS_02_BS50
beech board 40 mm with rubber, circle pattern	DPS_02_BS40_G3
beech board 40 mm with zinc coat. sheet met.	DPS_02_BS40_O1
beech board 40 mm elevated edge	DPS_02_BS40_M
beech board 40 mm zinc coated front edge	DPS_02_BS40_U1

for complete assortment of worktops see pages 92–93





500



**DPT\_01\_A / DPT\_02\_A**

48 x 1200 x 100 / 48 x 1700 x 100








100



**DPS\_21\_BS25 / DPS\_22\_BS25**

25 x 1400 x 400 / 25 x 1900 x 400








100



**DPR\_01\_A / DPR\_02\_A**


760 x 1500 x 95 / 760 x 2000 x 95











200




**DPB\_01\_A / DPB\_02\_A**

1100 x 1000 x 200 / 1100 x 500 x 200



















20

Dimensions: **h x w x d** **ST** Standard – equipment part of the product.  Extra cost – equipment available for an extra charge.

							
Workshop cabinet shelves.	A perforated panel for tool holders is part of the product.	Cylinder lock, two keys, 2000 combinations, master key delivery possible.	Rotary bolt lock suitable for shackle diameter 6 mm.	Steel door.	Glass door.	Wire door.	Double-point door locking, top and bottom.
							
Three-point door locking, top, bottom and middle.	Total base load.	Shelf maximum surface load.					



# PROFESSIONAL HEAVY DUTY WORKBENCHES ASSEMBLED

ST

DPN\_01\_A

810 x 150 x 700

500



ST

DPN\_01\_B

790-1030 x 150 x 700

500



ST

DPN\_02\_AO

810 x 150 x 750

wheel diameter 125 mm

150



ST

DPN\_02\_AP

810 x 150 x 750

wheel diameter 125 mm

150



ST

DPN\_01\_C

810 x 150 x 700

500



ST

DPN\_01\_AE\_01

810 x 150 x 700

500



Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge. Complete assortment of electric switchboards on page 97.

Mobile castors.	Cylinder lock, two keys, 2000 combinations, master key delivery possible.	Rotary bolt lock suitable for shackle diameter 6 mm.	Total base load.						



# PROFESSIONAL HEAVY DUTY WORKBENCHES ASSEMBLED

		ST	
<b>DPZ_01_A</b>			
inner drawer dividers dr. height 60 - 120 mm	code		
division into 4 parts	VND_DPK_11A		
division into 9 parts	VND_DPK_11B		
division into 12 parts	VND_DPK_11C		
plastic divider	7000168		
212 x 500 x 700			

		ST	
<b>DPK_02_A</b>			
inner drawer dividers dr. height 60 - 120 mm	code		
division into 4 parts	VND_DPK_11A		
division into 9 parts	VND_DPK_11B		
division into 12 parts	VND_DPK_11C		
plastic divider	7000168		
340 x 500 x 700			

		ST	
<b>DPK_02_B</b>			
inner drawer dividers dr. height 60 - 120 mm	code		
division into 4 parts	VND_DPK_11A		
division into 9 parts	VND_DPK_11B		
division into 12 parts	VND_DPK_11C		
plastic divider	7000168		
340 x 500 x 700			

		ST	
<b>DPK_02_C</b>			
inner drawer dividers dr. height 60 - 120 mm	code		
division into 4 parts	VND_DPK_11A		
division into 9 parts	VND_DPK_11B		
division into 12 parts	VND_DPK_11C		
plastic divider	7000168		
340 x 500 x 700			

		ST	
<b>DPK_01_A</b>			
inner drawer dividers dr. height 150 - 240 mm	code		
division into 4 parts	VND_DPK_12A		
division into 9 parts	VND_DPK_12B		
division into 12 parts	VND_DPK_12C		
810 x 500 x 700			

		ST	
<b>DPK_01_B</b>			
inner drawer dividers dr. height 60 - 120 mm	code		
division into 4 parts	VND_DPK_11A		
division into 9 parts	VND_DPK_11B		
division into 12 parts	VND_DPK_11C		
plastic divider	7000168		
810 x 500 x 700			

Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.

Workshop cabinet drawer.	The drawer allows for the installation of sheet metal or plastic dividers.	Cylinder lock, two keys, 2000 combinations, master key delivery possible.	Equipped with a blocking system to prevent the opening of more than one drawer at a time.	Total base load.	Drawer maximum surface load.		

# PROFESSIONAL HEAVY DUTY WORKBENCHES ASSEMBLED



**DPK\_01\_C** ST

810 x 500 x 700

inner drawer dividers  
dr. height 60 - 120 mm

code
VND_DPK_11A
VND_DPK_11B
VND_DPK_11C
7000168

division into 4 parts  
division into 9 parts  
division into 12 parts  
plastic divider

inner drawer dividers  
dr. height 150 - 240 mm

code
VND_DPK_12A
VND_DPK_12B
VND_DPK_12C

division into 4 parts  
division into 9 parts  
division into 12 parts

90  
120  
120  
240  
660

300 80

**DPK\_01\_D** ST

810 x 500 x 700

90  
120  
120  
240  
660

300 60

**DPK\_01\_E1** ST

810 x 500 x 700

inner drawer dividers  
dr. height 60 - 120 mm

code
VND_DPK_11A
VND_DPK_11B
VND_DPK_11C
7000168

division into 4 parts  
division into 9 parts  
division into 12 parts  
plastic divider

90  
120  
120  
240  
660

300 60 80

**DPK\_01\_E2** ST

810 x 500 x 700

inner drawer dividers  
dr. height 60 - 120 mm

code
VND_DPK_11A
VND_DPK_11B
VND_DPK_11C
7000168

division into 4 parts  
division into 9 parts  
division into 12 parts  
plastic divider

60  
120  
180

300 60 80

**DPK\_03\_A** ST

810 x 720 x 700

inner drawer dividers  
dr. height 150 - 240 mm

code
VND_DPO_12A
VND_DPO_12B
VND_DPO_12C

division into 4 parts  
division into 9 parts  
division into 12 parts

180  
240  
240  
660

300 80

**DPK\_03\_B** ST

810 x 720 x 700

inner drawer dividers  
dr. height 60 - 120 mm

code
VND_DPO_11A
VND_DPO_11B
VND_DPO_11C
7000170

division into 4 parts  
division into 9 parts  
division into 12 parts  
plastic divider

inner drawer dividers  
dr. height 150 - 240 mm

code
VND_DPO_12A
VND_DPO_12B
VND_DPO_12C

division into 4 parts  
division into 9 parts  
division into 12 parts

90  
150  
180  
240  
660

300 80

Dimensions: **h x w x d** ST Standard – equipment part of the product. Extra cost – equipment available for an extra charge.

Workshop cabinet shelves.	Workshop cabinet drawer.	A perforated panel for tool holders is part of the product.	The drawer allows for the installation of sheet metal or plastic dividers.	Cylinder lock, two keys, 2000 combinations, master key delivery possible.	Rotary bolt lock suitable for shackle diameter 6 mm.	Equipped with a blocking system to prevent the opening of more than one drawer at a time.	Single-point door locking, in the middle.
Double-point door locking, top and bottom.	Three-point door locking, top, bottom and middle.	Total base load.	Shelf maximum surface load.	Drawer maximum surface load.			



# PROFESSIONAL HEAVY DUTY WORKBENCHES ASSEMBLED

**inner drawer dividers**  
dr. height 60 - 120 mm

code
VND_DPO_11A
VND_DPO_11B
VND_DPO_11C
plastic divider
7000170

**inner drawer dividers**  
dr. height 150 - 240 mm

code
VND_DPO_12A
VND_DPO_12B
VND_DPO_12C

**DPK\_03\_C**

810 x 720 x 700

90  
90  
120  
120  
240  
660

300 80

ST

Icons: [Workshop cabinet drawer], [Sheet metal divider], [Cylinder lock], [Blocking system], [Total base load], [Drawer maximum surface load]

Icons: [Workshop cabinet drawer], [Sheet metal divider], [Cylinder lock], [Blocking system], [Total base load], [Drawer maximum surface load]

**inner drawer dividers**  
dr. height 60 - 120 mm

code
VND_DPO_11A
VND_DPO_11B
VND_DPO_11C
plastic divider
7000170

**inner drawer dividers**  
dr. height 150 - 240 mm

code
VND_DPO_12A
VND_DPO_12B
VND_DPO_12C

**DPK\_03\_D**

810 x 720 x 700

60  
90  
90  
120  
120  
180  
660

300 80

ST

Icons: [Workshop cabinet drawer], [Sheet metal divider], [Cylinder lock], [Blocking system], [Total base load], [Drawer maximum surface load]

Icons: [Workshop cabinet drawer], [Sheet metal divider], [Cylinder lock], [Blocking system], [Total base load], [Drawer maximum surface load]

**inner drawer dividers**  
dr. height 150 - 240 mm

code
VND_DPO_22A
VND_DPO_22B
VND_DPO_22C

**inner drawer dividers**  
dr. height 150 - 240 mm

code
VND_DPO_22A
VND_DPO_22B
VND_DPO_22C

**DPK\_06\_A**

810 x 1000 x 700

180  
240  
240  
660

300 80

ST

Icons: [Workshop cabinet drawer], [Sheet metal divider], [Cylinder lock], [Blocking system], [Total base load], [Drawer maximum surface load]

Icons: [Workshop cabinet drawer], [Sheet metal divider], [Cylinder lock], [Blocking system], [Total base load], [Drawer maximum surface load]

**inner drawer dividers**  
dr. height 60 - 120 mm

code
VND_DPO_21A
VND_DPO_21B
VND_DPO_21C
plastic divider
7000713

**inner drawer dividers**  
dr. height 150 - 240 mm

code
VND_DPO_22A
VND_DPO_22B
VND_DPO_22C

**DPK\_06\_B**

810 x 1000 x 700

90  
150  
180  
240  
660

300 80

ST

Icons: [Workshop cabinet drawer], [Sheet metal divider], [Cylinder lock], [Blocking system], [Total base load], [Drawer maximum surface load]

Icons: [Workshop cabinet drawer], [Sheet metal divider], [Cylinder lock], [Blocking system], [Total base load], [Drawer maximum surface load]

**inner drawer dividers**  
dr. height 60 - 120 mm

code
VND_DPO_21A
VND_DPO_21B
VND_DPO_21C
plastic divider
7000713

**inner drawer dividers**  
dr. height 150 - 240 mm

code
VND_DPO_22A
VND_DPO_22B
VND_DPO_22C

**DPK\_06\_C**

810 x 1000 x 700

90  
90  
120  
120  
240  
660

300 80

ST

Icons: [Workshop cabinet drawer], [Sheet metal divider], [Cylinder lock], [Blocking system], [Total base load], [Drawer maximum surface load]

Icons: [Workshop cabinet drawer], [Sheet metal divider], [Cylinder lock], [Blocking system], [Total base load], [Drawer maximum surface load]

**inner drawer dividers**  
dr. height 60 - 120 mm

code
VND_DPO_21A
VND_DPO_21B
VND_DPO_21C
plastic divider
7000713

**inner drawer dividers**  
dr. height 150 - 240 mm

code
VND_DPO_22A
VND_DPO_22B
VND_DPO_22C

**DPK\_06\_D**

810 x 1000 x 700

60  
90  
90  
120  
120  
180  
660

300 80

ST

Icons: [Workshop cabinet drawer], [Sheet metal divider], [Cylinder lock], [Blocking system], [Total base load], [Drawer maximum surface load]

Icons: [Workshop cabinet drawer], [Sheet metal divider], [Cylinder lock], [Blocking system], [Total base load], [Drawer maximum surface load]
















Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.

Workshop cabinet drawer.	The drawer allows for the installation of sheet metal or plastic dividers.	Cylinder lock, two keys, 2000 combinations, master key delivery possible.	Equipped with a blocking system to prevent the opening of more than one drawer at a time.	Total base load.	Drawer maximum surface load.		



**School desks at [www.kovos.cz](http://www.kovos.cz)**

 Extra cost

 <p>Workshop cabinet shelves.</p>	 <p>Workshop cabinet drawer.</p>	 <p>A perforated panel for tool holders is part of the product.</p>	 <p>The drawer allows for the installation of sheet metal or plastic dividers.</p>	 <p>Mobile castors.</p>	 <p>Steel frame with rubber for storing objects, h. 30 mm.</p>	 <p>Cylinder lock, two keys, 2000 combinations, master key delivery possible.</p>	 <p>Rotary bolt lock suitable for shackle diameter 6 mm.</p>
 <p>Equipped with a blocking system to prevent the opening of more than one drawer at a time.</p>	 <p>Single-point door locking, in the middle.</p>	 <p>Double-point door locking, top and bottom.</p>	 <p>Three-point door locking, top, bottom and middle.</p>	 <p>Total base load.</p>	 <p>Shelf maximum surface load.</p>	 <p>Drawer maximum surface load.</p>	



# PROFESSIONAL HEAVY DUTY WORKBENCHES ASSEMBLED (inner dividers)

code	base	dimensions
VND_DPK_11A	500 x 700	47 x 395 x 588
VND_DPO_11A	720 x 700	47 x 615 x 588
VND_DPO_21A	1000 x 700	47 x 895 x 588

**VND 4**

For drawers 60 / 90 / 120

code	base	dimensions
VND_DPK_12A	500 x 700	127 x 395 x 588
VND_DPO_12A	720 x 700	127 x 615 x 588
VND_DPO_22A	1000 x 700	127 x 895 x 588

**VND 4**

For drawers 150 / 180 / 210 / 240

code	base	dimensions
VND_DPK_11B	500 x 700	47 x 395 x 588
VND_DPO_11B	720 x 700	47 x 615 x 588
VND_DPO_21B	1000 x 700	47 x 895 x 588

**VND 9**

For drawers 60 / 90 / 120

code	base	dimensions
VND_DPK_12B	500 x 700	127 x 395 x 588
VND_DPO_12B	720 x 700	127 x 615 x 588
VND_DPO_22B	1000 x 700	127 x 895 x 588

**VND 9**

For drawers 150 / 180 / 210 / 240

code	base	dimensions
VND_DPK_11C	500 x 700	47 x 395 x 588
VND_DPO_11C	720 x 700	47 x 615 x 588
VND_DPO_21C	1000 x 700	47 x 895 x 588

**VND 12**

For drawers 60 / 90 / 120

code	base	dimensions
VND_DPK_12C	500 x 700	127 x 395 x 588
VND_DPO_12C	720 x 700	127 x 615 x 588
VND_DPO_22C	1000 x 700	127 x 895 x 588

**VND 12**

For drawers 150 / 180 / 210 / 240

kód	základna	rozměr
7000168	500 x 700	35 x 360 x 550
7000170	720 x 700	35 x 600 x 550
7000713	1000 x 700	35 x 850 x 550

**VND Plast**

Dimensions: **h** x **w** x **d**




# PROFESSIONAL WORKBENCHES WELDED



Professional welded workbenches are characterized by a massive welded construction and on the basis of their high dead weight they are destined to be used in the most demanding conditions. Maximum dead weight is 1000 kg.

The workbench can be configured, the customer can choose from a range of worktops, basic containers to be placed under the workbench, perforated panels for tool holders or cupboard extensions to be placed above the worktop. The range of electricity and air switchboard components offered which you can find on pp. 97 and 98 is also broad.

Try to assemble your own assembly workbench to suit your requirements with the help of the electronic workbench configurator at [www.konfigurace-stolu.cz](http://www.konfigurace-stolu.cz).

The workbench with basic under the worktop containers is delivered assembled.



# PROFESSIONAL WORKBENCHES WELDED (scheme)



## Perforated panels for tool holders.

- 3 x steel profile stand 30 x 30 mm, varnished
- 4 x zinc coated perforated panel with perforation 10 x 10 mm in a 38 mm grid to fix the QDN tool holders onto
- the perforated panel is fixed to the workbench with the help of screws


You can find the perforated panels on page 80 and the QDN tool holders on page 132.



## Cabinet extensions.

- the inside of the doors and the back side are equipped with 10 x 10 mm perforation in a 38 mm grid to fix the QDN tool holders onto
- one shelf in each cabinet
- double-point locking
- door hung on inside pins

You can find the cupboard extensions on page 80, and the QDN tool holders on page 132.



## Welded workbench frames with a worktop.

- welded robust frame made of 40 x 40 mm steel profiles with stable steel heels
- welded workbench worktops available in 40 and 50 mm thickness
- the worktop material - beech board or multiplex
- the worktops can be supplemented with rubber or various kinds of sheet metal

You can find the frames and worktops on page 80, and the complete worktop offer on page 92.



## Middle under the workbench cabinets.

- the cabinets fill the space in the middle of the workbench between the basic containers, and they can only be installed when both side containers are there
- offered with doors or doorless, contains one height-adjustable shelf 25 mm at a time

You can find the under the workbench cabinets on page 81.



## Basic containers.

- locking with the help of cylinder lock with central locking and blocking against the opening of more than one drawer at a time
- the drawers are placed on massive roller slides
- the drawers can be equipped with the VND inner dividers
- the container drawers can be configured, see page 54
- the containers are fixed to the frame, we deliver the workbench assembled

You can find the basic containers on page 81, the inner dividers on page 82.



# EXAMPLES OF DPJ WORKBENCH SETS, WIDTH 1500 mm

(on-line configurator at [www.konfigurace-stolu.cz](http://www.konfigurace-stolu.cz))

rank	code	dimensions	quantity
1	DPJ_1100000_BU7100	850 x 1500 x 750	1



ST

Set DPJ\_101

1000



rank	code	dimensions	quantity
1	DPJ_1101005_C17151	850 x 1500 x 750	1



ST

Set DPJ\_102

1000

60

80



rank	code	dimensions	quantity
1	DPJ_1100004_C17151	850 x 1500 x 750	1
2	DPR_01_A	760 x 1500 x 95	1



ST

Set DPJ\_103

1000

60



Dimensions: **h x w x d** **ST** Standard – equipment part of the product.  Extra cost – equipment available for an extra charge.

								
Total base load.	Shelf maximum surface load.	Drawer maximum surface load.						



# EXAMPLES OF DPJ WORKBENCH SETS, WIDTH 1500 mm

(on-line configurator at [www.konfigurace-stolu.cz](http://www.konfigurace-stolu.cz))

rank	code	dimensions	quantity
1	DPJ_1102202_C17151	850 x 1500 x 750	1



ST

Set DPJ\_104

1000

80



rank	code	dimensions	quantity
1	DPJ_1104104_C17151	850 x 1500 x 750	1



ST

Set DPJ\_105

1000

60



rank	code	dimensions	quantity
1	DPJ_1102000_C17151	850 x 1500 x 750	1
2	DPB_01_A	1100 x 1000 x 200	1
3	DPB_02_A	1100 x 500 x 200	1



ST

Set DPJ\_106

1000

20

80




Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.

Total base load.	Shelf maximum surface load.	Drawer maximum surface load.					



Set DPJ\_201

ST



Set DPJ\_202

ST






Set DPJ\_203



ST





Dimensions: **h x w x d**   **ST** Standard – equipment part of the product.    Extra cost – equipment available for an extra charge.

 <p>Total base load.</p>	 <p>Shelf maximum surface load.</p>	 <p>Drawer maximum surface load.</p>					





<p><b>ST</b></p>	
<p><b>Set DPJ_204</b></p>	





ST			
Set DPJ_205			
			



ST			
Set DPJ_206			
			

Dimensions: **h x w x d** **ST** Standard – equipment part of the product.  Extra cost – equipment available for an extra charge.

								
<p>Total base load.</p>	<p>Shelf maximum surface load.</p>	<p>Drawer maximum surface load.</p>						



# PROFESSIONAL WORKBENCHES WELDED

**DPJ\_02\_A**  
 850 x 1500 x 750

ST

worktop	code
beech board 40 mm	DPS_01_BS40
multiplex board 40 mm	DPS_01_MP40
beech board 40 mm	DPS_01_BS40_G3
with rubber, circle pattern	DPS_01_BS40_O1
beech board 40 mm	DPS_01_BS40_M
sheet metal top FeZn	DPS_01_BS40_U1
beech board 40 mm	DPS_01_BS50
elevated edge	
beech board 40 mm	
sheet metal front edge FeZn	
beech board 50 mm	

complete worktop assortment on page 92-93

**DPJ\_02\_B**  
 850 x 2000 x 750

ST

worktop	code
beech board 40 mm	DPS_02_BS40
multiplex board 40 mm	DPS_02_MP40
beech board 40 mm	DPS_02_BS40_G3
with rubber, circle pattern	DPS_02_BS40_O1
beech board 40 mm	DPS_02_BS40_M
sheet metal top FeZn	DPS_02_BS40_U1
beech board 40 mm	DPS_02_BS50
elevated edge	
beech board 40 mm	
sheet metal front edge FeZn	
beech board 50 mm	

complete worktop assortment on pages 92-93

**DPB\_01\_A / DPB\_02\_A**  
 1100 x 1000 x 200 / 1100 x 500 x 200

ST

**DPR\_01\_A / DPR\_02\_A**  
 760 x 1500 x 95 / 760 x 2000 x 95

ST

Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.

Workshop cabinet shelves.	A perforated panel for tool holders is part of the product.	Cylinder lock, two keys, 2000 combinations, master key delivery possible.	Rotary bolt lock suitable for shackle diameter 6 mm.	Steel door.	Glass door.	Wire door.	Single-point door locking, in the middle.
Double-point door locking, top and bottom.	Three-point door locking, top, bottom and middle.	Total base load.	Shelf maximum surface load.				

# PROFESSIONAL WORKBENCHES WELDED



### DPP\_02\_A

660 x 500 x 700

inner drawer dividers dr. height 150 - 240 mm	code
division into 4 parts	VND_DPK_12A
division into 9 parts	VND_DPK_12B
division into 12 parts	VND_DPK_12C

150  
150  
240  
540

300 80

### DPP\_02\_B

660 x 500 x 700

inner drawer dividers dr. height 60 - 120 mm	code
division into 4 parts	VND_DPK_11A
division into 9 parts	VND_DPK_11B
division into 12 parts	VND_DPK_11C
plastic divider	7000168

inner drawer dividers dr. height 150 - 240 mm	code
division into 4 parts	VND_DPK_12A
division into 9 parts	VND_DPK_12B
division into 12 parts	VND_DPK_12C

90  
120  
120  
210  
540

300 80

### DPP\_02\_C

660 x 500 x 700

inner drawer dividers dr. height 60 - 120 mm	code
division into 4 parts	VND_DPK_11A
division into 9 parts	VND_DPK_11B
division into 12 parts	VND_DPK_11C
plastic divider	7000168

inner drawer dividers dr. height 150 - 240 mm	code
division into 4 parts	VND_DPK_12A
division into 9 parts	VND_DPK_12B
division into 12 parts	VND_DPK_12C

60  
60  
90  
120  
210  
540

300 80

### DPP\_02\_D

660 x 500 x 700

300 60

### DPP\_02\_E1

660 x 500 x 700

inner drawer dividers dr. height 60 - 120 mm	code
division into 4 parts	VND_DPK_11A
division into 9 parts	VND_DPK_11B
division into 12 parts	VND_DPK_11C
plastic divider	7000168

90

300 60 80

Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.

Workshop cabinet shelves.	Workshop cabinet drawer.	A perforated panel for tool holders is part of the product.	The drawer allows for the installation of sheet metal or plastic dividers.	Cylinder lock, two keys, 2000 combinations, master key delivery possible.	Rotary bolt lock suitable for shackle diameter 6 mm.	Equipped with a blocking system to prevent the opening of more than one drawer at a time.	Single-point door locking, in the middle.
Double-point door locking, top and bottom.	Three-point door locking, top, bottom and middle.	Total base load.	Shelf maximum surface load.	Drawer maximum surface load.			



# PROFESSIONAL WORKBENCHES WELDED

## DPM\_01\_B / DPM\_02\_B

660 x 318 x 349 / 660 x 818 x 349



200 60

## DPM\_01\_A / DPM\_02\_A

660 x 318 x 349 / 660 x 818 x 349



200 60

## VND 4

code	for drawers	dimensions
VND_DPK_11A	60 / 90 / 120	47 x 395 x 588
VND_DPK_12A	150 / 180 / 210 / 240	127 x 395 x 588



## VND 12

code	for drawers	dimensions
VND_DPK_11C	60 / 90 / 120	47 x 395 x 588
VND_DPK_12C	150 / 180 / 210 / 240	127 x 395 x 588




## VND 9

code	for drawers	dimensions
VND_DPK_11B	60 / 90 / 120	47 x 395 x 588
VND_DPK_12B	150 / 180 / 210 / 240	127 x 395 x 588



## VND Plast

code	for drawers	dimensions
7000168	60	35 x 360 x 550



Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.

Workshop cabinet shelves.	Cylinder lock, two keys, 2000 combinations, master key delivery possible.	Rotary bolt lock suitable for shackle diameter 6 mm.	Single-point door locking, in the middle.	Double-point door locking, top and bottom.	Three-point door locking, top, bottom and middle.	Total base load.	Shelf maximum surface load.	



# ASSEMBLY WORKBENCHES



The workbenches are ideal for use in automobile and electrical assembly workspaces. The worktop can be height-adjusted within the 900 - 1180 mm range. The maximum workbench dead weight is 150 kg. The kit solution and the wide accessory assortment allow for high variability of the workbench.

It is possible to equip the workbench with some of the suspended containers, various panels to fix the tool holders onto, position-adjustable shelves, or a platform with lighting and foot rest.

Try to assemble your own assembly workbench to suit your requirements with the help of the electronic workbench configurator at [www.konfigurace-stolu.cz](http://www.konfigurace-stolu.cz).

The workbench is delivered disassembled, as individual components.



# ASSEMBLY WORKBENCHES (scheme)



## Rotary and tiltable MTP shelf.

- installation to the MTR perfopanel stand, at the point of installation the MTR panel must be skipped



## MTO lighting platforms.

- for installation of the ELE\_OSV\_xx lighting
- platform for 2000 mm workbench has one stand in the middle and a connective part in the back
- installation into the MTR perfopanel stands



## Rotary MTP panel.

- perforation 10 x 10 mm in a 38 mm grid designed to hang the QDN tool holders on.
- installation to the MTR perfopanel stand, at the point of installation the MTR panel must be skipped



## Additional MTR perfopanel.

- standalone panels to supplement the MTR perfopanel
- to complete the 1500 mm workbench perfopanel 1 pc needed, for the 2000 mm workbench 2 pcs
- installation between the MTR perfopanel stands



## MTR perfopanel with stands.

- 2 x stand (3 x for the 2000 mm workbench) made of bent 40 x 30 mm profiles, varnished
- 3 x zinc coated panel (6 x for the 2000 mm workbench) with perforation 10 x 10 mm in a 38 mm grid designed to hang the QDN tool holders on.



## Tiltable MTP shelf.

- installation between the MTR perfopanel stands, for the 2000 mm workbench only



## Basic frames with MTS worktop.

- 1 x worktop, 2 x height-adjustable leg, 4 x connective between the legs (2 x worktop support, 1 x reinforced sheet metal, 1 x trestle at the bottom)
- worktop height 900 - 1180 mm
- 25 mm wide laminated worktop with ABS edge, more worktops on page 92



## Under the workbench MSK containers.

- locking with the help of cylinder lock
- drawers are placed on roller slides
- the container can be placed to the right or to the left



## Ergonomic foot rest.


- height-adjustable (225–375 mm) and tiltable supporting surface
- supporting surface covered with checkered rubber



# EXAMPLES OF MTS WORKBENCH SETS, WIDTH 1500 mm

(on-line configurator at [www.konfigurace-stolu.cz](http://www.konfigurace-stolu.cz))


rank	code	dimensions	quantity
1	MTS_01_A	875-1155 x 1500 x 750	1
2	MTR_01_A	975 x 1310 x 130	1
3	MSK_01_A	190 x 360 x 500	1
4	MON_01_A	400 x 485 x 325	1




Set MTS\_101




rank	code	dimensions	quantity
1	MTS_01_A	875-1155 x 1500 x 750	1
2	MTR_01_A	975 x 1310 x 130	1
3	MSK_03_A	600 x 360 x 500	1
4	MON_01_A	400 x 485 x 325	1
5	MTP_00_A	540 x 500 x 585	1
6	MTP_00_B	540 x 500 x 430	1
7	MTO_01_A	370 x 1310 x 413	1
8	ELE_OSV_01	150 x 1300 x 150	1



Set MTS\_102



rank	code	dimensions	quantity
1	MTS_01_A	875-1155 x 1500 x 750	1
2	MTR_01_A	975 x 1310 x 130	1
3	MSK_02_A	292 x 360 x 500	1
4	MON_01_A	400 x 485 x 325	1
5	MTP_00_B	540 x 500 x 430	1



Set MTS\_103



Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.



Total base load.	Shelf maximum surface load.	Drawer maximum surface load.					





# EXAMPLES OF MTS WORKBENCH SETS, WIDTH 2000 mm

(on-line configurator at [www.konfigurace-stolu.cz](http://www.konfigurace-stolu.cz))



rank	code	dimensions	quantity
1	MTS_02_A	875-1155 x 2000 x 700	1
2	MTR_01_B	975 x 1810 x 130	1
3	MSK_03_B	600 x 360 x 500	1
4	MTO_02_A	370 x 1810 x 413	1
5	ELE_OSV_02	150 x 1300 x 200	1








rank	code	dimensions	quantity
1	MTS_02_A	875-1155 x 2000 x 700	1
2	MTR_01_B	975 x 1810 x 130	1
3	MSK_03_B	600 x 360 x 500	1
4	MTP_00_A	540 x 500 x 585	1
5	MTP_00_B	540 x 500 x 430	1
6	MTP_02_A	140 x 884 x 400	1
7	MTO_02_A	370 x 1810 x 413	1
8	ELE_OSV_02	150 x 1300 x 200	1
9	MON_01_A	400 x 485 x 325	1



rank	code	dimensions	quantity
1	MTS_02_A	875-1155 x 2000 x 700	1
2	MTR_01_B	975 x 1810 x 130	1
3	MSK_01_A	190 x 360 x 500	1
4	MTP_00_B	540 x 500 x 430	1
5	MTO_02_A	370 x 1810 x 413	1
6	ELE_OSV_02	150 x 1300 x 200	1





 <p>Workshop cabinet drawer.</p>	 <p>Cylinder lock, two keys, 2000 combinations, master key delivery possible.</p>	 <p>Total base load.</p>	 <p>Drawer maximum surface load.</p>				
---	--	---	---	--	--	--	--



# ASSEMBLY WORKBENCHES

ST

**MTR\_01\_A / MTR\_01\_B**  
 975 x 1310 x 130 / 975 x 1810 x 130

ST

**MTR\_02\_A / MTR\_02\_B**  
 190 x 1268 x 30 / 190 x 884 x 30

ST

**MTO\_01\_A / MTO\_02\_A**  
 370 x 1310 x 413 / 370 x 1810 x 413

ST

**MTP\_02\_A**  
 140 x 884 x 400

ST

**MTP\_00\_A**  
 540 x 500 x 585

ST

**MTP\_00\_B**  
 540 x 500 x 430

Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.

A perforated panel for tool holders is part of the product.	Shelf maximum surface load.	XX						



# ASSEMBLY WORKBENCHES

<b>MON_01_A</b>	ST	
400 x 485 x 325		



<b>ELE_OSV_01</b>	ST	
150 x 1300 x 150 single tube fluorescent light		



<b>ELE_OSV_02</b>	ST	
150 x 1300 x 200 double tube fluorescent light		



<b>ELE_ZAS_01</b>	ST	
60 x 450 x 50 socket bar with switch		

<b>ELE_ZAS_02</b>	ST	
60 x 450 x 50 socket bar with protection		

<b>ELE_ZAS_03</b>	ST	
simple socket bar designed for the QDN_48_01 holder		

Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.






# WORKTOPS

**Beech board**



Heavy-duty worktop made of square pieces of beech glued together, sanded and treated with linseed oil solution with additives. The upper rims are bevelled. We offer this board in the thickness of 25, 40 and 50 mm.

**Multiplex beech board**



Heavy-duty worktop made of layers of beech veneer glued together, sanded and treated with a linseed oil solution with additives. The upper rims are bevelled. We offer this board in the thickness of 40 mm.

**Laminated LTD board**



Laminated LTD chipboard, standardly offered in the thickness of 25 mm with an ABS edge of 2 mm, in the colour RAL 7035.

**Elevated edges**



A board with elevated edges on three sides. The edges are made of 25 mm thick beech board and their height is 120 mm. The board is sanded and treated with linseed oil solution with additives. The upper rims are bevelled. We offer elevated edges for the 25, 40 and 50 mm thick beech board.

**Sheet metal on the front edge**



The front worktop edge is covered with 1 mm thick zinc coated (FeZn) or stainless sheet metal. The sheet metal is of a U shape so that the board is protected from above as well as from below. The upper part of the board is lowered below the sheet metal so that there is a smooth transition between the sheet metal and the board. We offer this type of sheet metal for the 25 and 45 mm thick beech board.

**Sheet metal on top**



Board covered with 1 mm thick zinc coated (FeZn) or stainless sheet metal. The sheet metal covers the whole surface of the worktop and approximately 3/4 of the front edge. We offer this type of sheet metal coverage for the 25, 40 and 50 mm thick beech board.

Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.




# WORKTOPS

## Rubber board



The options are a 4 mm thick smooth rubber, a 4 mm thick rubber with circle pattern and a 6 mm thick checkered rubber with delicate grooves. The rubbers are offered for all worktop types.

## Worktops with PP a PE boards



15 mm thick PP and PE boards are fastened to the 25 mm thick beech board, thus creating a combined board, where the beech board ensures good physical properties and the PP and PE boards good chemical properties. PP and PE boards are standardly offered in black and white colour.


Board width 40 – 50 mm								
WORKTOPS 40 – 50 mm	PROFESSIONAL ASSEMBLED WORKBENCHES DPS				PROFESSIONAL WELDED WORKBENCHES DPJ			
	WIDTH 1500 mm		WIDTH 2000 mm		WIDTH 1500 mm		WIDTH 2000 mm	
worktop name	worktop code	dimensions	worktop code	dimensions	worktop code	dimensions	worktop code	dimensions
beech board 40 mm	DPS_01_BS40	40 x 1500 x 750	DPS_02_BS40	40 x 2000 x 750	DPS_01_BS40	40 x 1500 x 750	DPS_02_BS40	40 x 2000 x 750
multiplex board 40 mm	DPS_01_MP40	40 x 1500 x 750	DPS_02_MP40	40 x 2000 x 750	DPS_01_MP40	40 x 1500 x 750	DPS_02_MP40	40 x 2000 x 750
beech board 50 mm	DPS_01_BS50	50 x 1500 x 750	DPS_02_BS50	50 x 2000 x 750	DPS_01_BS50	50 x 1500 x 750	DPS_02_BS50	50 x 2000 x 750
beech board 40 mm elevated edge	DPS_01_BS40_M	120 x 1500 x 750	DPS_02_BS40_M	120 x 2000 x 750	DPS_01_BS40_M	120 x 1500 x 750	DPS_02_BS40_M	120 x 2000 x 750
beech board 50 mm elevated edge	DPS_01_BS50_M	120 x 1500 x 750	DPS_02_BS50_M	120 x 2000 x 750	DPS_01_BS50_M	120 x 1500 x 750	DPS_02_BS50_M	120 x 2000 x 750
beech board 40 mm sheet metal front edge FeZn	DPS_01_BS40_U1	40 x 1500 x 750	DPS_02_BS40_U1	40 x 2000 x 750	DPS_01_BS40_U1	40 x 1500 x 750	DPS_02_BS40_U1	40 x 2000 x 750
beech board 40 mm sheet metal front edge stainless	DPS_01_BS40_U2	40 x 1500 x 750	DPS_02_BS40_U2	40 x 2000 x 750	DPS_01_BS40_U2	40 x 1500 x 750	DPS_02_BS40_U2	40 x 2000 x 750
beech board 40 mm sheet metal top FeZn	DPS_01_BS40_O1	41 x 1500 x 750	DPS_02_BS40_O1	41 x 2000 x 750	DPS_01_BS40_O1	41 x 1500 x 750	DPS_02_BS40_O1	41 x 2000 x 750
beech board 40 mm sheet metal top stainless	DPS_01_BS40_O2	41 x 1500 x 750	DPS_02_BS40_O2	41 x 2000 x 750	DPS_01_BS40_O2	41 x 1500 x 750	DPS_02_BS40_O2	41 x 2000 x 750
beech board 40 mm with rubber, smooth	DPS_01_BS40_G1	44 x 1500 x 750	DPS_02_BS40_G1	44 x 2000 x 750	DPS_01_BS40_G1	44 x 1500 x 750	DPS_02_BS40_G1	44 x 2000 x 750
beech board 40 mm with rubber, groovy	DPS_01_BS40_G2	46 x 1500 x 750	DPS_02_BS40_G2	46 x 2000 x 750	DPS_01_BS40_G2	46 x 1500 x 750	DPS_02_BS40_G2	46 x 2000 x 750
beech board 40 mm with rubber, circle pattern	DPS_01_BS40_G3	44 x 1500 x 750	DPS_02_BS40_G3	44 x 2000 x 750	DPS_01_BS40_G3	44 x 1500 x 750	DPS_02_BS40_G3	44 x 2000 x 750

Board width 25 mm							
WORKTOPS 25 mm	PROFESSIONAL ASSEMBLED WORKBENCHES DPS				ASSEMBLY WORKBENCHES MTS		
	WIDTH 1500 mm		WIDTH 2000 mm		WIDTH 1500 mm		WIDTH 2000 mm
worktop name	worktop code	dimensions	worktop code	dimensions	worktop code	dimensions	worktop code dimensions
beech board 25 mm	DPS_01_BS25	25 x 1500 x 750			MTS_01_BS25	25 x 1500 x 750	MTS_02_BS25 25 x 2000 x 750
laminated LTD board 25 mm	DPS_01_LM25	25 x 1500 x 750			MTS_01_LM25	25 x 1500 x 750	MTS_02_LM25 25 x 2000 x 750
beech board 25 mm elevated edge	DPS_01_BS25_M	120 x 1500 x 750			MTS_01_BS25_M	120 x 1500 x 750	MTS_02_BS25_M 120 x 2000 x 750
beech board 25 mm with 15 mm PP board	DPS_01_PP15BS25	40 x 1500 x 750			MTS_01_PP15BS25	40 x 1500 x 750	MTS_02_PP15BS25 40 x 2000 x 750
beech board 25 mm with 15 mm PE board	DPS_01_PE15BS25	40 x 1500 x 750			MTS_01_PE15BS25	40 x 1500 x 750	MTS_02_PE15BS25 40 x 2000 x 750
beech board 25 mm sheet metal front edge FeZn	DPS_01_BS25_U1	25 x 1500 x 750			MTS_01_BS25_U1	25 x 1500 x 750	MTS_02_BS25_U1 25 x 2000 x 750
beech board 25 mm sheet metal fr. edge stainless	DPS_01_BS25_U2	25 x 1500 x 750			MTS_01_BS25_U2	25 x 1500 x 750	MTS_02_BS25_U2 25 x 2000 x 750
beech board 25 mm sheet metal top FeZn	DPS_01_BS25_O1	26 x 1500 x 750			MTS_01_BS25_O1	26 x 1500 x 750	MTS_02_BS25_O1 26 x 2000 x 750
beech board 25 mm sheet metal top stainless	DPS_01_BS25_O2	26 x 1500 x 750			MTS_01_BS25_O2	26 x 1500 x 750	MTS_02_BS25_O2 26 x 2000 x 750
beech board 25 mm with rubber, smooth	DPS_01_BS25_G1	29 x 1500 x 750			MTS_01_BS25_G1	29 x 1500 x 750	MTS_02_BS25_G1 29 x 2000 x 750
beech board 25 mm with rubber, groovy	DPS_01_BS25_G2	31 x 1500 x 750			MTS_01_BS25_G2	31 x 1500 x 750	MTS_02_BS25_G2 31 x 2000 x 750
beech board 25 mm with rubber, circle pattern	DPS_01_BS25_G3	29 x 1500 x 750			MTS_01_BS25_G3	29 x 1500 x 750	MTS_02_BS25_G3 29 x 2000 x 750
laminated LTD board 25 mm with rubber, smooth	DPS_01_LM25_G1	29 x 1500 x 750			MTS_01_LM25_G1	31 x 1500 x 750	MTS_02_LM25_G1 31 x 2000 x 750
laminated LTD board 25 mm with rubber, groovy	DPS_01_LM25_G2	31 x 1500 x 750			MTS_01_LM25_G2	31 x 1500 x 750	MTS_02_LM25_G2 31 x 2000 x 750
laminated LTD board 25 mm with rubber, circle pattern	DPS_01_LM25_G3	29 x 1500 x 750			MTS_01_LM25_G3	31 x 1500 x 750	MTS_02_LM25_G3 31 x 2000 x 750



Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.




# WORKTOPS



Worktop connection options



Worktop component fixing options



Screw

Stud  
matrix





# ELECTRICITY AND AIR SWITCHBOARDS

(scheme)



## Equipment

Quick junctions  
to connect air.



16 A, 400 V socket.



16 A, 230 V socket.



Circuit breaker to suit  
requirement.



- single-phase
- three-phase
- with current protection





# ELECTRICITY AND AIR SWITCHBOARDS

<b>DPN_01_AE_01</b>	ST	
810 x 150 x 700		

<b>DPN_01_AV</b>	ST	
810 x 150 x 700		

<b>DPN_01_AEV_01</b>	ST	
810 x 150 x 700		

<b>DPN_01_AE_02</b>	ST	
810 x 150 x 700		

<b>DPN_01_AEV_02</b>	ST	
810 x 150 x 700		

Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.

Total base load.							



# ELECTRICITY AND AIR SWITCHBOARDS

## ELE\_KAN\_20\_A

conduit length	code
1200mm	ELE_KAN_12_A
1500mm	ELE_KAN_15_A
2000mm	ELE_KAN_20_A



## ELE\_KAN\_20\_B

conduit length	code
1200mm	ELE_KAN_12_B
1500mm	ELE_KAN_15_B
2000mm	ELE_KAN_20_B



## ELE\_KAN\_20\_C

conduit length	code
1200mm	ELE_KAN_12_C
1500mm	ELE_KAN_15_C
2000mm	ELE_KAN_20_C



## ELE\_KAN\_20\_D

conduit length	code
1200mm	ELE_KAN_12_D
1500mm	ELE_KAN_15_D
2000mm	ELE_KAN_20_D



## ELE\_KAN\_20\_E

conduit length	code
1200mm	ELE_KAN_12_E
1500mm	ELE_KAN_15_E
2000mm	ELE_KAN_20_E




## ELE\_KAN\_20\_F

conduit length	code
1200mm	ELE_KAN_12_F
1500mm	ELE_KAN_15_F
2000mm	ELE_KAN_20_F



Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.

# ANTISTATIC WORKBENCHES



The ESD workbenches are designed for workspaces where it is necessary to avoid electrostatic discharge. The ESD workbenches comply with the ČSN EN 61340-5-1 regulation requirements. The maximum workbench dead weight is 200 kg. The workbenches are construed as solid steel weldments.

The desktop is equipped with an ESD rubber mat and an earthing box to which bracelets can be connected with three connecting power points (plugs or snap fasteners depending on type).



# ANTISTATIC WORKBENCHES

(scheme)

## Equipment

Lighting with the help of a double fluorescent tube.



Diode lighting also possible.

Two socket bars, each with 6 sockets.



Antistatic mat on the worktop.



## Equipment

Earthing point, plugs or snap fasteners as needed.



Sliding shelf below the worktop.



Height-adjustable heels.





# ANTISTATIC WORKBENCHES

ST

ESD\_01\_A

1430 x 1600 x 810

200

ST

ESD\_01\_B

1430 x 1600 x 810

200

ST

ESD\_01\_C

940 x 1600 x 810

200

ST

ESD\_01\_D

825 x 1600 x 810

200

Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.

A perforated panel for tool holders is part of the product.		Total base load.							



# HEIGHT-ADJUSTABLE ASSEMBLY WORKBENCHES



The workbenches have electronically smoothly height-adjustable desktops. Ideal for assembly and completion workspaces. The maximum dead weight is 100 kg. The workbenches can be position-adjusted very smoothly with the help of a simple controller. The desktop height range is 705 - 1205 mm, the voltage is 230 V.



# HEIGHT-ADJUSTABLE ASSEMBLY WORKBENCHES

(scheme)

## Description

Height-adjustable with the help of a controller.



Smoothly electronically adjustable height, smooth start/finish.




Height-adjustable worktop 705–1205 mm.




## Worktop decors

25 mm thick laminated LTD chipboard tl. 25 mm with an ABS edge




Grey



Acacia



Beech



Cherry



Walnut



Calvados



# HEIGHT-ADJUSTABLE ASSEMBLY WORKBENCHES

ST

**MPS\_120\_71**  
705–1205 x 1200 x 800

100

ST

**MPS\_140\_71**  
705–1205 x 1400 x 800

100

ST

**MPS\_160\_71**  
705–1205 x 1600 x 800

100

ST

**MPS\_180\_71**  
705–1205 x 1800 x 800

100

Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.

 Total base load.							



## CONTROL STATION



The control stations are particularly designed for quality control department workers who take measurements and record data directly in the manufacturing space and who need to have their measuring and recording equipment stored here. The advantage of the control station is that the control worker has all he needs at one place and immediately available. At the same time he can lock and leave the space quickly.

The cupboards are equipped with aluminium roller blinds, doors, a door or drawer container, and all types have a desktop with a 25 mm high laminated board with an ABS edge.



# CONTROL STATION (scheme)

## Door type, hanging



Steel door.



Door sheet metal 1 mm thick, perforated framework to hang the QDN tool holders on.



Glass door.



4 mm thick safety tempered glass embedded in a steel frame.



Wire door.



Door panel made of hammered metal in the same colour as the cabinet's body, loop size 22 x 12 mm, embedded in a steel frame.



Roller blind.



Retractable aluminium roller blind.

## Drawer design



Equipped with a blocking system to prevent the opening of more than one drawer at a time.



The drawer allows for installation of sheet metal or plastic dividers.



You can find the dividers for this category on page 47.



Workshop cabinet drawer.



The drawers are placed on massive roller slides.

## Equipment



A perfopanel for tool holders is part of the product.



The 10 x 10 mm perforation in a 38 mm grid is designed to hang the QDN tool holders on.



Square steel profile frame.



A frame welded from 40 x 40 mm square steel profiles.



Laminated board on the worktop, h. 25 mm, ABS edge.



Cabinet worktop covered with LTD board in colour RAL 7035.



## Locking



Cylinder lock, two keys, 2000 combinations, master key delivery possible.



For the bottom cabinets.



Roller blind locking.



The roller blind can only be locked with the help of a cylinder lock which is part of the blind. It cannot be the same as the other locks on the product.



Rotary bolt lock suitable for shackle diameter 6 mm.



For the bottom door cabinets only.



Double-point door locking, top and bottom.



For the top cabinet, any door type.



Single-point door locking, in the middle.



For the bottom door cabinets.



# CONTROL STATION

inner drawer dividers dr. height 60 - 120 mm	code
division into 4 parts	VND_DPO_11A
division into 9 parts	VND_DPO_11B
division into 12 parts	VND_DPO_11C
plastic divider	7000170

inner drawer dividers dr. height 150 - 240 mm	code
division into 4 parts	VND_DPO_12A
division into 9 parts	VND_DPO_12B
division into 12 parts	VND_DPO_12C

**KOP\_01\_A**  
 2010 x 720 x 700

500
80

inner drawer dividers dr. height 60 - 120 mm	code
division into 4 parts	VND_DPO_11A
division into 9 parts	VND_DPO_11B
division into 12 parts	VND_DPO_11C
plastic divider	7000170

inner drawer dividers dr. height 150 - 240 mm	code
division into 4 parts	VND_DPO_12A
division into 9 parts	VND_DPO_12B
division into 12 parts	VND_DPO_12C

**KOP\_01\_B**  
 2010 x 720 x 700

500
80

inner drawer dividers dr. height 60 - 120 mm	code
division into 4 parts	VND_DPO_11A
division into 9 parts	VND_DPO_11B
division into 12 parts	VND_DPO_11C
plastic divider	7000170

inner drawer dividers dr. height 150 - 240 mm	code
division into 4 parts	VND_DPO_12A
division into 9 parts	VND_DPO_12B
division into 12 parts	VND_DPO_12C

**KOP\_02\_A**  
 2010 x 1440 x 700

500
80
80

inner drawer dividers dr. height 60 - 120 mm	code
division into 4 parts	VND_DPO_11A
division into 9 parts	VND_DPO_11B
division into 12 parts	VND_DPO_11C
plastic divider	7000170

inner drawer dividers dr. height 150 - 240 mm	code
division into 4 parts	VND_DPO_12A
division into 9 parts	VND_DPO_12B
division into 12 parts	VND_DPO_12C

**KOP\_02\_B**  
 2010 x 1440 x 700

500
80
80

inner drawer dividers dr. height 60 - 120 mm	code
division into 4 parts	VND_DPO_11A
division into 9 parts	VND_DPO_11B
division into 12 parts	VND_DPO_11C
plastic divider	7000170

inner drawer dividers dr. height 150 - 240 mm	code
division into 4 parts	VND_DPO_12A
division into 9 parts	VND_DPO_12B
division into 12 parts	VND_DPO_12C

**KOP\_S2\_C**  
 2010 x 1440 x 700

500
80
80

inner drawer dividers dr. height 60 - 120 mm	code
division into 4 parts	VND_DPO_11A
division into 9 parts	VND_DPO_11B
division into 12 parts	VND_DPO_11C
plastic divider	7000170

inner drawer dividers dr. height 150 - 240 mm	code
division into 4 parts	VND_DPO_12A
division into 9 parts	VND_DPO_12B
division into 12 parts	VND_DPO_12C

**KOP\_03\_B**  
 2010 x 1440 x 700

1000

Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.

Workshop cabinet shelves.	Workshop cabinet drawer.	A perforated panel for tool holders is part of the product.	The drawer allows for the installation of sheet metal or plastic dividers.	Laminated board for storing objects, h. 18 mm, ABS edge.	Cylinder lock, two keys, 2000 combinations, master key delivery possible.	Equipped with a blocking system to prevent the opening of more than one drawer at a time.	Steel door.
Glass door.	Wire door.	Roller blind.	Double-point door locking, top and bottom.	Drawer maximum surface load.	Total base load.	Shelf maximum surface load.	



# WORKSHOP TROLLEYS



Quality metal workshop trolleys will come handy everywhere where mobility, order and accessibility of tools, gear and materials are required directly in the workspace. Workshop trolleys will ensure that you have your tools always stored in an orderly fashion and always at hand.

The offer of service trolleys is broad, you can choose from professional trolleys of the DPV, DPP and DPL series. The benefit of the DPV trolleys is their size, the DPP trolleys are lower and they can be slid under a desk, the DPL trolleys are equipped with a beech board desktop. The modular trolleys of the SVL series are less robust, but they are distinguished through their variability.

The EPV, PVA and KSZ trolleys are less expensive. The EPV trolley is a large drawer trolley with lower weight of the drawers, the PVA series offers a shelf trolley and a lighter mobile workspace, the KSZ trolleys offer combinations of drawer and door cupboards with the lowest load.




# WORKSHOP TROLLEYS

## (scheme)


The DPV, DPP and DPL series trolleys.



 Steel frame with rubber for storing objects, h. 30 mm.




 Mobile castors.





 Workshop cabinet drawer.





 The drawer allows for installation of sheet metal or plastic dividers.




 Perforated panel for tool holders is part of the product.




 Workshop cabinet shelves.




 The worktop of the DPL trolley.





 Cylinder lock, two keys, 2000 combinations, master key delivery possible.




 Equipped with a blocking system to prevent the opening of more than one drawer at a time.



 Rotary bolt lock suitable for shackle diameter 6 mm.




 Single-point door locking, in the middle.



The SVL series trolleys.



 Steel frame with rubber for storing objects, h. 30 mm.





 Mobile castors.



 Workshop cabinet drawer.




 Perforated panel for tool holders is part of the product.




 Workshop cabinet shelves.



 Cylinder lock, two keys, 2000 combinations, master key delivery possible.




 Single-point door locking, in the middle.




The KSZ series trolleys.



 Metal handle with a label plate.




 The drawers are placed on metal bars.



 Mobile castors.



 Workshop cabinet shelves.





# WORKSHOP TROLLEYS

inner drawer dividers dr. height 60 - 120 mm	code
division into 4 parts	VND_DPV_11A
division into 9 parts	VND_DPV_11B
division into 12 parts	VND_DPV_11C
plastic divider	7000169

inner drawer dividers dr. height 150 - 240 mm	code
division into 4 parts	VND_DPV_12A
division into 9 parts	VND_DPV_12B
division into 12 parts	VND_DPV_12C

**DPV\_01\_A**  
 920 x 720 x 500

90  
150  
210  
210  
600

300

80

inner drawer dividers dr. height 60 - 120 mm	code
division into 4 parts	VND_DPV_11A
division into 9 parts	VND_DPV_11B
division into 12 parts	VND_DPV_11C
plastic divider	7000169

inner drawer dividers dr. height 150 - 240 mm	code
division into 4 parts	VND_DPV_12A
division into 9 parts	VND_DPV_12B
division into 12 parts	VND_DPV_12C

**DPV\_01\_B**  
 920 x 720 x 500

90  
90  
90  
180  
210  
600

300

80

inner drawer dividers dr. height 60 - 120 mm	code
division into 4 parts	VND_EPV_11A
division into 9 parts	VND_EPV_11B
division into 12 parts	VND_EPV_11C

inner drawer dividers dr. height 120 - 150 mm	code
division into 4 parts	VND_EPV_12A
division into 9 parts	VND_EPV_12B
division into 12 parts	VND_EPV_12C

**EPV\_01\_A**  
 931 x 620 x 500

60  
90  
90  
120  
150  
150  
600

300

40

optional accessory	code
cleaning tissue holder	SVL_01_DP
side door	SVL_01_DV
waste bin	KOS_01_OK
shelf	SVL_01_P1

**SVL\_01\_A**  
 940 x 750 x 500

150  
30

150

30

optional accessory	code
cleaning tissue holder	SVL_01_DP
side door	SVL_01_DV
waste bin	KOS_01_OK
shelf	SVL_01_P2

**SVL\_01\_C**  
 940 x 750 x 500

100  
100  
100

150

30

30

optional accessory	code
cleaning tissue holder	SVL_01_DP
side door	SVL_01_DV
waste bin	KOS_01_OK
shelf	SVL_01_P2

**SVL\_01\_D**  
 940 x 750 x 500

100  
100  
100

150

30

30

Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.

Workshop cabinet shelves.	Workshop cabinet drawer.	A perforated panel for tool holders is part of the product.	The drawer allows for the installation of sheet metal or plastic dividers.	Mobile castors.	Steel frame with rubber for storing objects, h. 30 mm.	Cylinder lock, two keys, 2000 combinations, master key delivery possible.	Equipped with a blocking system to prevent the opening of more than one drawer at a time.		
Single-point door locking, in the middle.	Total base load.	Shelf maximum surface load.	Drawer maximum surface load.						

# WORKSHOP TROLLEYS



inner drawer dividers dr. height 60 - 120 mm	code
division into 4 parts	VND_DPK_11A
division into 9 parts	VND_DPK_11B
division into 12 parts	VND_DPK_11C
plastic divider	7000168

inner drawer dividers dr. height 150 - 240 mm	code
division into 4 parts	VND_DPK_12A
division into 9 parts	VND_DPK_12B
division into 12 parts	VND_DPK_12C

**DPP\_01\_B**  
 780 x 500 x 700

300
80

optional accessory shelf	code
	DPP_02_P1

**DPP\_01\_D**  
 780 x 500 x 700

300
60

inner drawer dividers dr. height 60 - 120 mm	code
division into 4 parts	VND_DPK_11A
division into 9 parts	VND_DPK_11B
division into 12 parts	VND_DPK_11C
plastic divider	7000168

optional accessory shelf	code
	DPP_02_P1

**DPP\_01\_E1**  
 780 x 500 x 700

300
60
80

optional accessory shelf	code
	DPP_02_P1

**PVA\_01\_A**  
 1095 x 820 x 450

100
40

optional accessory shelf	code
	DPP_02_P1

**PVA\_01\_0004**  
 1460 x 1000 x 600

200
30

inner drawer dividers dr. height 60 - 120 mm	code
division into 4 parts	VND_DPK_11A
division into 9 parts	VND_DPK_11B
division into 12 parts	VND_DPK_11C

inner drawer dividers dr. height 150 - 240 mm	code
division into 4 parts	VND_DPK_12A
division into 9 parts	VND_DPK_12B
division into 12 parts	VND_DPK_12C

optional accessory shelf	code
	DPP_02_P1

**DPL\_01\_A**  
 800 x 1050 x 750

300
60
80

Dimensions: **h x w x d** **ST** Standard – equipment part of the product. **Extra cost** – equipment available for an extra charge.

Workshop cabinet shelves.	Workshop cabinet drawer.	A perforated panel for tool holders is part of the product.	The drawer allows for the installation of sheet metal or plastic dividers.	Mobile castors.	Steel frame with rubber for storing objects, h. 30 mm.	Cylinder lock, two keys, 2000 combinations, master key delivery possible.	Rotary bolt lock suitable for shackle diameter 6 mm.
Equipped with a blocking system to prevent the opening of more than one drawer at a time.	Single-point door locking, in the middle.	Total base load.	Shelf maximum surface load.	Drawer maximum surface load.			



# WORKSHOP TROLLEYS

inner drawer dividers dr. height 60 - 120 mm	code
division into 4 parts	VND_DPK_11A
division into 9 parts	VND_DPK_11B
division into 12 parts	VND_DPK_11C
plastic divider	7000168

inner drawer dividers dr. height 150 - 240 mm	code
division into 4 parts	VND_DPK_12A
division into 9 parts	VND_DPK_12B
division into 12 parts	VND_DPK_12C

optional accessory shelf	code
	DPP_02_P1

**DPL\_01\_B**  
 800 x 1050 x 750

300

60

80

inner drawer dividers dr. height 60 - 120 mm	code
division into 4 parts	VND_DPK_11A
division into 9 parts	VND_DPK_11B
division into 12 parts	VND_DPK_11C
plastic divider	7000168

inner drawer dividers dr. height 150 - 240 mm	code
division into 4 parts	VND_DPK_12A
division into 9 parts	VND_DPK_12B
division into 12 parts	VND_DPK_12C

optional accessory shelf	code
	DPP_02_P1

**DPL\_01\_C**  
 800 x 1050 x 750

300

60

80

inner drawer dividers dr. height 60 - 120 mm	code
division into 4 parts	VND_DPK_11A
division into 9 parts	VND_DPK_11B
division into 12 parts	VND_DPK_11C
plastic divider	7000168

inner drawer dividers dr. height 150 - 240 mm	code
division into 4 parts	VND_DPK_12A
division into 9 parts	VND_DPK_12B
division into 12 parts	VND_DPK_12C

optional accessory shelf	code
	DPP_02_P1

**KSZ\_3KS\_A**  
 725 x 700 x 450

100

15

inner drawer dividers dr. height 60 - 120 mm	code
division into 4 parts	VND_DPK_11A
division into 9 parts	VND_DPK_11B
division into 12 parts	VND_DPK_11C
plastic divider	7000168

inner drawer dividers dr. height 150 - 240 mm	code
division into 4 parts	VND_DPK_12A
division into 9 parts	VND_DPK_12B
division into 12 parts	VND_DPK_12C

optional accessory shelf	code
	DPP_02_P1

**KSZ\_3KS\_B**  
 725 x 700 x 450

100

15

15

inner drawer dividers dr. height 60 - 120 mm	code
division into 4 parts	VND_DPK_11A
division into 9 parts	VND_DPK_11B
division into 12 parts	VND_DPK_11C
plastic divider	7000169

inner drawer dividers dr. height 150 - 240 mm	code
division into 4 parts	VND_DPK_12A
division into 9 parts	VND_DPK_12B
division into 12 parts	VND_DPK_12C

optional accessory shelf	code
	DPP_02_P1

**KSZ\_3KS\_C**  
 725 x 700 x 450

100

15

inner drawer dividers dr. height 60 - 120 mm	code
division into 4 parts	VND_DPK_11A
division into 9 parts	VND_DPK_11B
division into 12 parts	VND_DPK_11C
plastic divider	7000169

inner drawer dividers dr. height 150 - 240 mm	code
division into 4 parts	VND_DPK_12A
division into 9 parts	VND_DPK_12B
division into 12 parts	VND_DPK_12C

optional accessory shelf	code
	DPP_02_P1

**DPV\_01\_A\_RU**  
 920 x 720 x 500

300

80

Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.

Workshop cabinet shelves.	Workshop cabinet drawer.	A perfopanel for tool holders is part of the product.	The drawer allows for the installation of sheet metal or plastic dividers.	Mobile castors.	Steel frame with rubber for storing objects, h. 30 mm.	Cylinder lock, two keys, 2000 combinations, master key delivery possible.	Rotary bolt lock suitable for shackle diameter 6 mm.
Equipped with a blocking system to prevent the opening of more than one drawer at a time.	Single-point door locking, in the middle.	Total base load.	Shelf maximum surface load.	Drawer maximum surface load.			



## WORKSHOP SERIES ECONOMY



The Economy workshop furniture series provides an opportunity to purchase workshop equipment for a lower price while keeping the quality high.

The series includes all basic products to equip a workshop: workshop tables with both drawer and door containers, drawer cupboards, service trolleys and large workshop cupboards.

The Economy series products come in dark grey RAL 7031 for the corpus and green RAL 6001 for the doors and the drawers as a standard.



# WORKSHOP SERIES ECONOMY

(scheme)

## Locking



Cylinder lock, two keys, 2000 combinations, master key delivery possible.



Rotary bolt lock suitable for shackle diameter 6 mm.



The padlock is not included.



Equipped with a blocking system to prevent the opening of more than one drawer at a time.



Double-point door locking, top and bottom.



## The top shelf



Steel frame with rubber for storing objects, h. 30 mm.



Steel frame with bordered edges, 3 mm thick checkered black rubber embedded inside.

## Drawer design



Drawer design.



Profile handles with hem.

## Door hanging



Inside pins make it possible to open the door to 110°.



The doors are hung on the inside pins.

## Equipment



Perforated panel for tool holders is part of the product.



The 10 x 10 mm perforation in a 38 mm grid is designed to hang the QDN tool holders on.



The drawer allows for the installation of sheet metal or plastic dividers.



You can find the dividers in this category on page 122.



Workshop cabinet shelves.



The shelves are height-adjustable 25 mm at a time, max. surface load is 60 kg.



Workshop cabinet drawer.




The drawers are height-adjustable 25 mm at a time, max. surface load is 40 kg, drawers placed on telescopic roller slides.





























	EPO_01_A
inner drawer dividers dr. height 60 a 90 mm	code  1000 x 620 x 600
division into 4 parts	VND_EPO_11A
division into 9 parts	VND_EPO_11B
division into 12 parts	VND_EPO_11C
inner drawer dividers dr. height 120 a 150 mm	code
division into 4 parts	VND_EPO_12A
division into 9 parts	VND_EPO_12B
division into 12 parts	VND_EPO_12C



























90  
150  
150  
150  
150  
150  
==  
840

ST		EPO_01_C		ST	
inner drawer dividers dr. height 60 x 90 mm	code	1000 x 620 x 600		   	
division into 4 parts	VND_EPO_11A			   	
division into 9 parts	VND_EPO_11B				
division into 12 parts	VND_EPO_11C				
inner drawer dividers dr. height 120 x 150 mm	code			   	
division into 4 parts	VND_EPO_12A				
division into 9 parts	VND_EPO_12B				
division into 12 parts	VND_EPO_12C				

		ST			
		<h1>EPV_01_A</h1>			
<p>inner drawer dividers dr. height 60 x 90 mm</p>		code		<p>931 x 620 x 500</p>	
division into 4 parts		VND_EPV_11A		     	
division into 9 parts		VND_EPV_11B			
division into 12 parts		VND_EPV_11C			
<p>inner drawer dividers dr. height 120 x 150 mm</p>		code			
division into 4 parts		VND_EPV_12A			
division into 9 parts		VND_EPV_12B			
division into 12 parts		VND_EPV_12C			
		<p>60 60 90 120 120 150 150 660</p>		 	

Dimensions: **h x w x d**  Standard – equipment part of the product.  Extra cost – equipment available for an extra charge.

  <p>Workshop cabinet shelves.</p>	  <p>Workshop cabinet drawer.</p>	  <p>A perforated panel for tool holders is part of the product.</p>	  <p>The drawer allows for the installation of sheet metal or plastic dividers.</p>	  <p>Mobile castors.</p>	  <p>Steel frame with rubber for storing objects, h. 30 mm.</p>	  <p>Cylinder lock, two keys, 2000 combinations, master key delivery possible.</p>	  <p>Rotary bolt lock suitable for shackle diameter 6 mm.</p>
  <p>Equipped with a blocking system to prevent the opening of more than one drawer at a time.</p>	  <p>Double-point door locking, top and bottom.</p>	  <p>Total base load.</p>	  <p>Shelf maximum surface load.</p>	<p>Drawer maximum surface load.</p>			

# WORKSHOP SERIES ECONOMY



inner drawer dividers dr. height 60 a 90 mm	code
division into 4 parts	VND_EPO_11A
division into 9 parts	VND_EPO_11B
division into 12 parts	VND_EPO_11C

inner drawer dividers dr. height 120 a 150 mm	code
division into 4 parts	VND_EPO_12A
division into 9 parts	VND_EPO_12B
division into 12 parts	VND_EPO_12C



EPO_03_A		ST	Extra
810 x 620 x 600			
60	150	150	150
660			
300	40		

EPS_01_A		ST	Extra
835 x 1500 x 750			
300			

optional accessory	code
shelf	EPD_01_P
drawer	EPD_01_Z

inner drawer dividers dr. height 60 a 90 mm	code
division into 4 parts	VND_EPO_11A
division into 9 parts	VND_EPO_11B
division into 12 parts	VND_EPO_11C



EPO_03_D		ST	Extra
810 x 620 x 600			
90			
300	60	40	

SET_EPS_11		ST	Extra
835 x 1500 x 750			
300	40		

inner drawer dividers dr. height 60 a 90 mm	code
division into 4 parts	VND_EPO_11A
division into 9 parts	VND_EPO_11B
division into 12 parts	VND_EPO_11C



EPZ_01_A		ST	Extra
180 x 620 x 600			
90			
160	40		

SET_EPS_12		ST	Extra
835 x 1500 x 750			
90			
300	40		

Dimensions: h x w x d **ST** Standard – equipment part of the product. **Extra** Extra cost – equipment available for an extra charge.

Workshop cabinet shelves.	Workshop cabinet drawer.	A perforated panel for tool holders is part of the product.	The drawer allows for the installation of sheet metal or plastic dividers.	Steel frame with rubber for storing objects, h. 30 mm.	Cylinder lock, two keys, 2000 combinations, master key delivery possible.	Rotary bolt lock suitable for shackle diameter 6 mm.	Equipped with a blocking system to prevent the opening of more than one drawer at a time.
Double-point door locking, top and bottom.	Total base load.	Shelf maximum surface load.	Drawer maximum surface load.				



# WORKSHOP SERIES ECONOMY

(inner dividers)

			ST	
<b>VND 4</b>				
code	for drawers	dimensions	For EPD, EPO a EPZ	
VND_EPO_11A	60 / 90	47 x 538 x 457		
VND_EPO_12A	120 / 150	95 x 538 x 457		

			ST	
<b>VND 4</b>				
code	for drawers	dimensions	For EPV	
VND_EPV_11A	60 / 90	47 x 538 x 357		
VND_EPV_12A	120 / 150	95 x 538 x 357		

			ST	
<b>VND 9</b>				
code	for drawers	dimensions	For EPD, EPO a EPZ	
VND_EPO_11B	60 / 90	47 x 538 x 457		
VND_EPO_12B	120 / 150	95 x 538 x 457		

			ST	
<b>VND 9</b>				
code	for drawers	dimensions	For EPV	
VND_EPV_11B	60 / 90	47 x 538 x 357		
VND_EPV_12B	120 / 150	95 x 538 x 357		

			ST	
<b>VND 12</b>				
code	for drawers	dimensions	For EPD, EPO a EPZ	
VND_EPO_11C	60 / 90	47 x 538 x 457		
VND_EPO_12C	120 / 150	95 x 538 x 457		

			ST	
<b>VND 12</b>				
code	for drawers	dimensions	For EPV	
VND_EPV_11C	60 / 90	47 x 538 x 357		
VND_EPV_12C	120 / 150	95 x 538 x 357		

Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.




## WORKSHOP SERIES SILENT



The Silent furniture series is meant for demanding customers who demand drawer cupboards with silent and precise working of the locking mechanism, which in this case is ensured by the Ronis Ultra-track locking system. It is a patented sophisticated solution of locking and blocking against the opening of more than one drawer at a time.

The standard colour version of the Silent series products is dark grey RAL 7031 for the corpus and orange RAL 2008 for the drawers.



# WORKSHOP SERIES SILENT


(scheme)

## Top shelf

 Steel frame with rubber for storing objects, h. 30 mm.




Steel frame with bordered edges, 3 mm thick checkered black rubber embedded inside.

 Beech board for storing objects, h. 25 mm.



The board is treated with a linseed oil solution with additives, bevelled upper edge.

 Lamino deska pro odkládání předmětů, v. 18 mm, ABS hrana.



Laminovaná dřevotřísková LTD deska v barvě RAL 7035 s 2 mm ABS hranou.

## Drawer design

 Description labels.



Drawer equipped with labeling tape with protective plastic film.


 Drawer design.




The fronts of SILENT drawers have a depression and a diagonal perforation.



## Locking


 Cylinder lock, two keys, 2000 combinations, master key delivery possible.



 Ronis Ultra-track locking system.



The SILENT series is equipped with the sophisticated Ronis Ultra-track locking system.

 Equipped with a blocking system to prevent the opening of more than one drawer at a time.




## Equipment

 Mobile castors.



2x fixed, 2x turning with brakes, 80 mm diameter.

 The drawer allows for installation of sheet metal or plastic dividers.



 Workshop cabinet drawer.



The drawers are placed on roller slides, max. load 80 kg.



# WORKSHOP SERIES SILENT

inner drawer dividers dr. height 60–120 mm	code
division into 4 parts	VND_DPK_11A
division into 9 parts	VND_DPK_11B
division into 12 parts	VND_DPK_11C
plastic divider	7000168

inner drawer dividers dr. height 150–240 mm	code
division into 4 parts	VND_DPK_12A
division into 9 parts	VND_DPK_12B
division into 12 parts	VND_DPK_12C

**DPK\_01\_B\_RU**

810 x 500 x 700

90  
150  
180  
240  
660

300 80

ST

Icons: [ST], [Drawer], [Mobile], [Steel], [Lock], [Blocking], [Base], [Shelf]

desktop type	product option
checkered rubber	DPO_01_A_RU
beech board	DPO_01_A_RUS
laminated board	DPO_01_A_RUL

inner drawer dividers dr. height 60–120 mm	code
division into 4 parts	VND_DPO_11A
division into 9 parts	VND_DPO_11B
division into 12 parts	VND_DPO_11C
plastic divider	7000170

inner drawer dividers dr. height 150–240 mm	code
division into 4 parts	VND_DPO_12A
division into 9 parts	VND_DPO_12B
division into 12 parts	VND_DPO_12C

**DPO\_01\_A\_RU**

1030 x 720 x 700

120  
120  
180  
180  
240  
840

300 80

ST

Icons: [ST], [Drawer], [Mobile], [Steel], [Lock], [Blocking], [Base], [Shelf]

desktop type	product option
checkered rubber	DPO_03_C_RU
beech board	DPO_03_C_RUS
laminated board	DPO_03_C_RUL

inner drawer dividers dr. height 60–120 mm	code
division into 4 parts	VND_DPO_11A
division into 9 parts	VND_DPO_11B
division into 12 parts	VND_DPO_11C
plastic divider	7000170

inner drawer dividers dr. height 150–240 mm	code
division into 4 parts	VND_DPO_12A
division into 9 parts	VND_DPO_12B
division into 12 parts	VND_DPO_12C

**DPO\_03\_C\_RU**

840 x 720 x 700

90  
90  
120  
120  
240  
660

300 80

ST

Icons: [ST], [Drawer], [Mobile], [Steel], [Lock], [Blocking], [Base], [Shelf]

desktop type	product option
checkered rubber	DPO_04_A_RU
beech board	DPO_04_A_RUS
laminated board	DPO_04_A_RUL

inner drawer dividers dr. height 60–120 mm	code
division into 4 parts	VND_DPK_11A
division into 9 parts	VND_DPK_11B
division into 12 parts	VND_DPK_11C
plastic divider	7000168

inner drawer dividers dr. height 150–240 mm	code
division into 4 parts	VND_DPK_12A
division into 9 parts	VND_DPK_12B
division into 12 parts	VND_DPK_12C

**DPO\_04\_A\_RU**

1350 x 500 x 700

60  
90  
90  
120  
150  
180  
210  
240  
1140

300 80

ST

Icons: [ST], [Drawer], [Mobile], [Steel], [Lock], [Blocking], [Base], [Shelf]

desktop type	product option
checkered rubber	DPO_07_A_RU
beech board	DPO_07_A_RUS
laminated board	DPO_07_A_RUL

inner drawer dividers dr. height 60–120 mm	code
division into 4 parts	VND_DPO_21A
division into 9 parts	VND_DPO_21B
division into 12 parts	VND_DPO_21C
plastic divider	7000713

inner drawer dividers dr. height 150–240 mm	code
division into 4 parts	VND_DPO_22A
division into 9 parts	VND_DPO_22B
division into 12 parts	VND_DPO_22C

**DPO\_07\_A\_RU**

1030 x 1000 x 700

120  
120  
180  
180  
240  
840

300 80

ST

Icons: [ST], [Drawer], [Mobile], [Steel], [Lock], [Blocking], [Base], [Shelf]

inner drawer dividers dr. height 60–120 mm	code
division into 4 parts	VND_DPV_11A
division into 9 parts	VND_DPV_11B
division into 12 parts	VND_DPV_11C
plastic divider	7000169

inner drawer dividers dr. height 150–240 mm	code
division into 4 parts	VND_DPV_12A
division into 9 parts	VND_DPV_12B
division into 12 parts	VND_DPV_12C

**DPV\_01\_A\_RU**

920 x 720 x 500

90  
150  
180  
210  
210  
660


300 80

ST

Icons: [ST], [Drawer], [Mobile], [Steel], [Lock], [Blocking], [Base], [Shelf]

Dimensions: h x w x d **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.

Workshop cabinet drawer.	The drawer allows for the installation of sheet metal or plastic dividers.	Mobile castors.	Steel frame with rubber for storing objects, h. 30 mm.	Cylinder lock, two keys, 2000 combinations, master key delivery possible.	Equipped with a blocking system to prevent the opening of more than one drawer at a time.	Total base load.
Drawer maximum surface load.						



# PERFOPANELS



The perfopanel is designed to hang tools, plastic boxes and other objects with the help of the KOVOS holders. Both rolling and stationary panels ensure that you have your tools always neatly stored and always at hand.

We offer mobile panels of the PPV series in open version, with doors for greater security of the stored tools, or stationary QSP panels to be fixed onto the wall.


The tool holders are offered in many versions which can be found on pp. 131 - 136.




# PERFOPANELS (scheme)

## Upper desktop

 Steel frame with rubber for storing objects, h. 30 mm.

 The desktop is equipped with a steel frame with hemmed edges, embedded with 3 mm high checkered black rubber on the inside.


 Perforpanel installation.

 The panel can be installed vertically or in the A shape.




## Vybavení

 Perforpanel for tool holders is part of the product.


 Perforation 10 x 10 mm in a 38 mm grid is designed to hang the QDN tool holders.

 Mobile castors.


 2x fixed, 2x turning with brakes, 80 mm diameter.

## Equipment


 Perforpanel for tool holders is part of the product.

 Perforation 10 x 10 mm in a 38 mm grid is designed to hang the QDN tool holders.

## Locking

 Cylinder lock, two keys, 2000 combinations, master key delivery possible.




 Rotary bolt lock suitable for shackle diameter 6 mm.



The padlock is not included.


 Double-point door locking, top and bottom.



## Door type, hanging

 Steel door.


 Door sheet metal 1 mm thick, perforated framework to hang the QDN tool holders.

 Inside pins make it possible to open the door to 110°.

 The doors are hung on the inside pins.

## Equipment

 Perforpanel for tool holders is part of the product.



Perforation 10 x 10 mm in a 38 mm grid is designed to hang the QDN tool holders.

## Options



PPV\_03\_A - one-sided version. The doors are only from one side of the stand.

PPV\_04\_A - both-sided version. The doors are from both sides of the stand, the inner space is divided through a perforated wall.



# PERFOPANELS

**PPV\_01\_B/PPV\_01\_A**

1270 x 710 x 600 / 1270 x 960 x 600

ST

Icons: Perforated panel, Mobile castors, Steel frame with rubber for storing objects, h. 30 mm.

**PPV\_02\_B/PPV\_02\_A**

1620 x 710 x 600 / 1620 x 960 x 600

ST

Icons: Perforated panel, Mobile castors, Steel frame with rubber for storing objects, h. 30 mm.

**PPV\_03\_A/PPV\_04\_A**

1410 x 800 x 400 / 1410 x 800 x 500  
single sided / both sided

ST

Icons: Perforated panel, Mobile castors, Steel frame with rubber for storing objects, h. 30 mm.

**QSP\_01\_A**

494 x 494 x 20

ST

Icons: Perforated panel.

**QSP\_02\_A**

494 x 988 x 20

ST

Icons: Perforated panel.

**QSP\_03\_A**


494 x 1482 x 20

ST



Icons: Perforated panel.

Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.

A perforated panel for tool holders is part of the product.	Mobile castors.	Steel frame with rubber for storing objects, h. 30 mm.	Cylinder lock, two keys, 2000 combinations, master key delivery possible.	Rotary bolt lock suitable for shackle diameter 6 mm.	Steel door.	Double-point door locking, top and bottom.	Total base load.



## TOOL HOLDERS



Tool holders serve to store tools clearly and safely within the KOVOS workshop furniture products. Each product containing any of the perfopanel can be equipped with tool holders.

The minimum order quantity with hooks is 5 pieces, the sheet metal holders can be ordered from 1 piece. It is advisable to order the tools holders in sets which contain combinations of various holders in various quantities.



# TOOL HOLDERS (scheme)



Single hook.

- hook length 35, 50, 100, 150 mm
- available options 0°, 45°, 90°
- pole diameter 6 mm
- galvanically zinc coated



Double hook.

- hook length 35, 50, 100, 150 mm
- available options 0°, 45°, 90°
- pole diameter 6 mm
- galvanically zinc coated



Loop hook.

- hook length 60, 110, 160 mm
- available options 0°, 45°, 90°
- pole diameter 6 mm
- galvanically zinc coated



Plastic box holder.



- holder serves to hang plastic boxes
- recommended boxes to hang: type PB1
- zinc coated sheet metal

Ratchet hook.



- for storing 1/2 inch ratchet, joint, large and small adapter
- zinc coated sheet metal

Hex key holder.



- for set of 9 hex keys
- for sizes 1,5–10
- zinc coated sheet metal

File holder.



- for storing a set of files 250 mm in length
- zinc coated sheet metal

Pusher holder.



- 1x diameter 9 mm
- 3x diameter 11 mm
- 2x diameter 15 mm
- zinc coated sheet metal

Screwdriver holder.



- for a set of 4 large screwdrivers
- zinc coated sheet metal

Spanner socket holder.



- for set of sockets sized 1/4 and 1/2 inches
- zinc coated sheet metal




Wrench holder.



- for flat wrenches
- QDN\_37\_01 – wrench set sizes 8–11
- QDN\_36\_01 – wrench set sizes 12–15
- QDN\_35\_01 – wrench set sizes 16–19
- QDN\_34\_01 – wrench set sizes 20–24
- zinc coated sheet metal



Spray holder.



- 3x hole, diameter 70 mm
- zinc coated sheet metal

Tool holder fixing clamp detail.



- the holders are fixed in the panel with the help of metal catches, clamps secure them
- clamps part of every holder

Tool holder perfwall detail.



- perfwall with holes 10 x 10 mm in a 38 mm grid

Bit holder.




- holder for a set of 10 bits, 10x hole, diameter 7,5 mm
- zinc coated sheet metal




# TOOL HOLDERS


	L	Code
<b>QDN_21</b>		
single hook 90°	35 50 100 150 (mm)	QDN_21_01 QDN_21_02 QDN_21_04 QDN_21_06




	L	Code
<b>QDN_23</b>		
single hook 45°	35 50 100 150 (mm)	QDN_23_01 QDN_23_02 QDN_23_04 QDN_23_06




	L	Code
<b>QDN_25</b>		
single hook 0°	50 100 150 (mm)	QDN_25_01 QDN_25_02 QDN_25_03




	L	Code
<b>QDN_22</b>		
double hook 90°	35 50 100 150 (mm)	QDN_22_01 QDN_22_02 QDN_22_04 QDN_22_06




	L	Code
<b>QDN_24</b>		
double hook 45°	35 50 100 150 (mm)	QDN_24_01 QDN_24_02 QDN_24_04 QDN_24_06




	L	Code
<b>QDN_26</b>		
double hook 0°	50 100 150 (mm)	QDN_26_01 QDN_26_02 QDN_26_03




	L	Code
<b>QDN_44</b>		
loop holder 90°	60 110 160 (mm)	QDN_44_01 QDN_44_02 QDN_44_03




	L	Code
<b>QDN_45</b>		
loop holder 45°	60 110 160 (mm)	QDN_45_01 QDN_45_02 QDN_45_03



	L	Code
<b>QDN_46</b>		
loop holder 0°	60 110 160 (mm)	QDN_46_01 QDN_46_02 QDN_46_03




	L	Code
<b>QDN_43</b>		
plastic box holder	100 200 300 (mm)	QDN_43_01 QDN_43_02 QDN_43_03




<b>QDN_27_01</b>	hex key holder



<b>QDN_28_01</b>	pusher holder



<b>QDN_29_01</b>	spanner socket holder 1/4



<b>QDN_30_01</b>	spanner socket holder 1/2



<b>QDN_31_01</b>	ratchet holder





## TOOL HOLDERS

**QDN\_32\_01**

file holder



**QDN\_33\_01**

screwdriver holder



**QDN\_34\_01**

wrench holder 1



**QDN\_35\_01**

wrench holder 2



**QDN\_36\_01**

wrench holder 3



**QDN\_37\_01**

wrench holder 4




**QDN\_38\_01**

bit holder



**QDN\_39\_01**

spray holder



**QDN\_40\_01**

cable holder



**QDN\_41\_01**

magnetic holder



**QDN\_42\_01**

storage box



**QDN\_47\_01**

shelf 300 mm



**QDN\_47\_02**

shelf 600 mm



**QDN\_48\_01**

drawer sliding bar holder ELE\_ZAS\_03



**QDN\_49\_01**

document holder A4





# TOOL HOLDERS

## (holder sets)

### The QDN\_50\_01 set

Holder	Description	Quantity
QDN_21_01	single hook 90° 35 mm	2
QDN_22_01	double hook 90° 35 mm	2
QDN_22_02	double hook 90° 50 mm	2
QDN_23_02	single hook 45° 50 mm	2
QDN_24_02	double hook 45° 50 mm	2
QDN_27_01	hex key holder	1
QDN_30_01	spanner socket holder 1/2	1
QDN_31_01	ratchet holder	1
QDN_32_01	file holder	1
QDN_33_01	screwdriver holder	1
QDN_34_01	wrench holder 1	1
QDN_35_01	wrench holder 2	1
QDN_36_01	wrench holder 3	1
QDN_37_01	wrench holder 4	1
QDN_45_01	loop hook 45° 60 mm	1
QDN_46_01	loop hook 0° 60 mm	1

### The QDN\_50\_02 set



Holder	Description	Quantity
QDN_29_01	spanner socket holder 1/4	1
QDN_38_01	bit holder	1
QDN_39_01	spray holder	1
QDN_40_01	cable holder	1
QDN_41_01	magnetic holder	1
QDN_42_01	storage box	1
QDN_43_01	plastic box hanging bar 100 mm	1
QDN_43_03	plastic box hanging bar 300 mm	1

### Sada QDN\_50\_03

Holder	Description	Quantity
QDN_21_01	single hook 90° 35 mm	2
QDN_22_02	double hook 90° 50 mm	2
QDN_22_04	double hook 90° 100 mm	2
QDN_23_01	single hook 45° 35 mm	2
QDN_23_04	single hook 45° 100 mm	2
QDN_24_02	double hook 45° 50 mm	2
QDN_24_04	double hook 45° 100 mm	2
QDN_25_02	single hook 0° 100 mm	1
QDN_26_02	double hook 0° 100 mm	1
QDN_44_01	loop hook 90° 60 mm	1
QDN_44_02	loop hook 90° 110 mm	1
QDN_45_01	loop hook 45° 60 mm	2
QDN_45_02	loop hook 45° 110 mm	1
QDN_46_02	loop hook 0° 110 mm	1

### The QDN\_50\_04 set

Holder	Description	Quantity
QDN_21_04	single hook 90° 100 mm	2
QDN_21_06	single hook 90° 150 mm	2
QDN_22_04	double hook 90° 100 mm	2
QDN_22_06	double hook 90° 150 mm	2
QDN_23_04	single hook 45° 100 mm	2
QDN_23_06	single hook 45° 150 mm	2
QDN_24_04	double hook 45° 100 mm	2
QDN_24_06	double hook 45° 150 mm	2
QDN_25_03	single hook 0° 150 mm	2
QDN_26_03	double hook 0° 150 mm	2





## COMPUTER CUPBOARDS



PCS\_0001 is a passively air-conditioned cupboard for a PC and an LCD monitor. Air-conditioning is ensured through holes on the back side. The upper part of the cupboard is designed for an LCD monitor with maximum screen size 22". The monitor can be fastened with the help of a VESA holder and is protected by a safety tempered glass. The monitor cable is safely inside the profile. The lower part of the cupboard is equipped with a pre-adjusted shelf and is designed for the PC box. The desktop of the lower part of the cupboard is designed for a keyboard and a mouse.

PCS\_01-04\_A is a cupboard for a PC and a monitor, which can be equipped with active air-conditioning and a RCD. The individual types are distinguished through their height and their placement on wheels. The upper part of the cupboard is designed for a monitor with maximum screen size 22" which is protected through a safety tempered glass. The monitor's and the peripherals' cables are protected inside the cupboard. The lower part of the cupboard is equipped with a pre-adjusted shelf and, depending on type, with a drawer. There is a lockable drawer for a keyboard and a mouse between the upper and the lower part of the cupboard.



# COMPUTER CUPBOARDS

## (scheme)

### Equipment of the CS\_0001\_0001 cupboard



VESA LCD monitor holder.



VESA holder 100x100 mm and 50 x 50 mm for hanging of a monitor with max screen size 22". The monitor is placed in the cupboard behind a glass.



Laminated board for storing objects, h. 18 mm, ABS edge.



The cupboard desktop equipped with a LTD board in colour RAL 7035.



Workshop cupboard shelves.




The shelves are height-adjustable 25 mm at a time, maximum surface load is 60 kg.

### Door type, hanging



Steel door.



Glass door.



Safety tempered glass of the thickness of 4 mm embedded in a metal frame.



Inside pins make it possible to open the door to 110°.



The doors are hung on the inside pins.

### Equipment of the PCS\_0x\_A cupboard



Workshop cupboard shelves.



3 shelves included as standard equipment, height-adjustable 25 mm at a time, with maximum surface load 60 kg.



Workshop cupboard drawer.



Printer drawer for the PCS\_01\_A and PCS\_02\_A cupboards only.



Keyboard drawer.



Lockable flip door with keyboard drawer.



Mobile castors.



2x fixed, 2x turning with brakes, 80 mm diameter.



Maximum screen size 22" diagonal.



Internal diameter of the monitor cupboard: 530 mm width and 500 mm height.


### Locking



Cylinder lock, two keys, 2000 combinations, master key delivery possible.



Rotary bolt lock suitable for shackle diameter 6 mm.



The padlock is not included.



Single-lock door locking, in the middle.



For PCS\_001.



Double-point door locking, top and bottom.






For PCS\_0x\_A.






# COMPUTER CUPBOARDS



Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.

Workshop cabinet shelves.	Workshop cabinet drawer.	Mobile castors.	Laminated board for storing objects, h, 18 mm, ABS edge.	Cylinder lock, two keys, 2000 combinations, master key delivery possible.	Rotary bolt lock suitable for shackle diameter 6 mm.	Steel door.	Glass door.
Single-point door locking, in the middle.	Double-point door locking, top and bottom.	Total base load.	Shelf maximum surface load.	Drawer maximum surface load.			



# CUPBOARDS FOR THE STORAGE OF CHEMICALS



The cupboards for the storage of chemicals serve to store dangerous liquids and are equipped with sumps to catch potential liquid leakage, and perforated doors. The cupboards serve to store water endangering substances and the sumps are constructed so that the substances stored in the cupboard are placed on the grate without decreasing the cupboard's capacity, with the exclusion of the bottom sump, which is grateless.

The cupboards are, depending on the type, equipped with two or four height-adjustable sumps with grate, one grateless sump at the bottom of the cupboard, steel, wire or glass door, a storage board or a steel frame and a document pocket in the door.



# CUPBOARDS FOR THE STORAGE OF CHEMICALS


## (scheme)

### The top shelf

 Steel frame with rubber for storing objects, h. 30 mm.




Steel frame with bordered edges, inside embedded checkered black rubber of the height of 3 mm.

 Beech board for storing objects, h. 25 mm.



The board is treated with a solution of linseed oil with additives, bevelled upper edge.

 Laminated board for storing objects, h. 18 mm, ABS edge.



Laminated LTD chipboard in colour RAL 7035 with 2 mm ABS edge.

### Special equipment


 Plastic label plate.



The steel door can be equipped with a plastic label plate.

### Door type, hanging

 Steel door.



The door sheet metal thickness 0,8 mm.

 Glass door.



Safety tempered glass of the thickness of 4 mm embedded in a metal frame.

 Wire door.



Door panels made of hammered metal in the same colour as the cupboard's body, size of the loop 22 x 12 mm, embedded in a steel frame.

 Inside pins make it possible to open the door to 110°.




The doors are hung on the inner pins.

### Locking

 GSB lock, two keys, 2000 combinations, master key delivery possible.




For steel doors only.

 Cylinder lock, two keys, 2000 combinations, master key delivery possible.



For glass and wire doors only.

 Rotary bolt lock suitable for shackle diameter 6 mm.




For glass and wire doors only. The padlock is not included.

 Double-point door locking, top and bottom.




### Equipment

 A protruding sump with grate.



The sump is height-adjustable 25 mm at a time and serves as a shelf. It is made of zinc coated sheet metal without finish, its retaining capacity is 19 l or 8 l in the narrower version of the cupboard.

 A grateless bottom sump.



The sump is placed at the bottom of the cupboard, it is made of zinc coated sheet metal without finish, and its retaining capacity is 23 l or 11 l in the narrower version of the cupboard.

 Document pocket.



The metal pocket for A4 documents is placed on the inner side of the left door. Only the steel door comes with the pocket.

 Ventilation.



The cupboard doors are perforated to ensure proper ventilation.



# CUPBOARDS FOR THE STORAGE OF CHEMICALS

**SCH\_01\_A** ST

description	code	capacity (L)
Protruding sump & grate	SCH_VAN_01_PZ	19
Grateless bottom sump	SCH_VAN_02_PZ	23

300 60

**SCH\_T1\_A** ST

description	code	capacity (L)
Protruding sump & grate	SCH_VAN_01_PZ	19
Grateless bottom sump	SCH_VAN_02_PZ	23

300 60

**SCH\_01\_B** ST

description	code	capacity (L)
Protruding sump & grate	SCH_VAN_01_PZ	19
Grateless bottom sump	SCH_VAN_02_PZ	23

300 60

**SCH\_T1\_B** ST

description	code	capacity (L)
Protruding sump & grate	SCH_VAN_01_PZ	19
Grateless bottom sump	SCH_VAN_02_PZ	23

300 60

**SCH\_05\_B** ST

description	code	capacity (L)
Protruding sump & grate	SCH_VAN_03_PZ	9
Grateless bottom sump	SCH_VAN_04_PZ	11

300 60

**SCH\_T5\_B** ST

description	code	capacity (L)
Protruding sump & grate	SCH_VAN_03_PZ	9
Grateless bottom sump	SCH_VAN_04_PZ	11

300 60

Dimensions: **h x w x d** ST Standard – equipment part of the product. Extra cost – equipment available for an extra charge.




## WASTE BINS



We offer indoor recycling waste bins as well as outdoor waste bins. We only offer the recycling waste bins for indoor use.

We offer the KOS\_1270 waste bin for both indoor and outdoor use. The outdoor version is made of zinc coated sheet metal with an outdoor powder colour finish.



## WASTE BINS (scheme)



KOS\_1258.

- removable inner container
- tipping front part for easy waste manipulation
- the waste bin can be supplemented with printing to indicate waste type
- for indoor use



KOS\_1266 a KOS 1267.

- the tipping valve closes with the help of a spring
- the waste bin can be supplemented with printing to indicate waste type
- for indoor use



KOS\_1270.

- the waste bin is equipped with holders and holes for anchoring
- the waste bin can be supplemented with printing to indicate waste type
- for both indoor and outdoor use



KOS\_1268.

- the valve closes with its own weight
- suitable for free spaces, waste can be thrown in from both sides
- the waste bin can be supplemented with printing to indicate waste type
- for indoor use



KOS\_1269.

- the valve closes with its own weight
- the waste bin can be supplemented with printing to indicate waste type
- for indoor use



# WASTE BINS

<b>KOS_1266</b>	ST	
970 x 380 x 335		
	P	

<b>KOS_1269</b>	ST	
900 x 450 x 300		
	P	

<b>KOS_1267</b>	ST	
720 x 380 x 335		
	P	

<b>KOS_1268</b>	ST	
1130 x 450 x 300		
	P	

<b>KOS_1258</b>	ST	
1010 x 410 x 420		
	P	

use	code
indoor	KOS_1270_I
outdoor	KOS_1270_O

<b>KOS_1270</b>	ST	
600 x 400 x 250		
	P	

Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.

	P							
Product printing to suit customer's requirement.		Utilizable capacity (l).						



## HEALTH AND SAFETY



This category includes a case to hold 112 keys, emergency key cases and medicine chests.

The emergency cases are offered with a lock, with a seal, with or without a hammer. The cases serve to store keys which can be obtained in emergency situations upon breaking the glass.

The medicine chest is equipped with two fixed shelves. It is available with or without a small space to store the medicine chest keys. The space is covered with a thin breakable glass.



## HEALTH AND SAFETY (scheme)

### Locking



Cylinder lock, two keys, 2000 combinations, master key delivery possible.



Rotary bolt lock suitable for shackle diameter 6 mm.



The padlock is not included.



The NSC\_01\_A case is equipped with a hole to draw the seal through.



Easy door locking in the middle.



### Equipment



The LEK\_01 medicine chests are equipped with two fixed shelves.



The key case is equipped with pegs to hang 112 keys on.



Product printing to suit customer's requirement.





# HEALTH AND SAFETY

		ST	
<b>NSC_01_A</b>			
152 x 138 x 32			
spare parts	code		
glass	7000104		
mallet with chain	NDV_0324_ZN		

		ST	
<b>NSC_02_A</b>			
152 x 124 x 31			
spare parts	code		
glass	7000103		
mallet with chain	NDV_0324_ZN		

		ST	
<b>NSC_02_B</b>			
152 x 124 x 31			
spare parts	code		
glass	7000103		
mallet with chain	NDV_0324_ZN		


		ST	
<b>SNK_01_A</b>			
450 x 350 x 110			

		ST	
<b>LEK_01_A</b>			
450 x 350 x 110			

		ST	
<b>LEK_01_B</b>			
450 x 350 x 110			

Dimensions: **h x w x d** **ST** Standard – equipment part of the product. Extra cost – equipment available for an extra charge.

Cylinder lock, two keys, 2000 combinations, master key delivery possible.	Rotary bolt lock suitable for shackle diameter 6 mm.	Single-point door locking, in the middle.	Product printing to suit customer's requirement.					





# DRAWER DIMENSIONS

DPO-01, DPO_03, DPO_05, KOP with base 720 x 700mm	DIMENSIONS				
	Drawer	Vc	Vb	S	H
	60	53	48	620	560
	90	85	72	620	560
	120	117	72	620	560
	150	149	136	620	560
	180	181	136	620	560
	210	213	200	620	560
	240	245	200	620	560

DPO-02, DPO_04, DPK, DPZ, DPL with base 500 x 700mm	DIMENSIONS				
	Drawer	Vc	Vb	S	H
	60	53	48	400	560
	90	85	72	400	560
	120	117	72	400	560
	150	149	136	400	560
	180	181	136	400	560
	210	213	200	400	560
	240	245	200	400	560

DPO_06_X, DPO_07_X with base 1000 x 700mm	DIMENSIONS				
	Drawer	Vc	Vb	S	H
	60	53	48	900	560
	90	85	72	900	560
	120	117	72	900	560
	150	149	136	900	560
	180	181	136	900	560
	210	213	200	900	560
	240	245	200	900	560


MSK with base 360 x 500mm	DIMENSIONS				
	Drawer	Vc	Vb	S	H
	100	88	69	275	425
	150	139	119	275	425
	200	191	173	275	425

EPD, EPO with base 620 x 600mm	DIMENSIONS				
	Drawer	Vc	Vb	S	H
	60	60	50	540	465
	90	92	50	540	465
	120	124	100	540	465
	150	156	100	540	465

SPD_11, SPD_12 with base 950 x 600mm	DIMENSIONS				
	Drawer	Vc	Vb	S	H
	90	85	72	782	417

EPV with base 620 x 500mm	DIMENSIONS				
	Drawer	Vc	Vb	S	H
	60	60	50	540	365
	90	92	50	540	365
	120	124	100	540	365
	150	156	100	540	365

SPD_13, SPD_14 with base 505 x 600mm	DIMENSIONS				
	Drawer	Vc	Vb	S	H
	90	85	72	337	417



NAR_01, NAR_02 with base 500 x 500mm	DIMENSIONS				
	Drawer	Vc	Vb	S	H
	90	82	74	350	428

NAR_04 with base 450 x 400mm	DIMENSIONS				
	Drawer	Vc	Vb	S	H
	90	88	88	307	319

SVL with base 750 x 500mm	DIMENSIONS				
	Drawer	Vc	Vb	S	H
	100	100	81	523	430

KSZ with base 350 x 450mm	DIMENSIONS				
	Drawer	Vc	Vb	S	H
	90	88	85	307	410



